

Review and analysis of changes in waterbird use of the Mersey Estuary SPA, Mersey Narrows & North Wirral Foreshore pSPA and Ribble & Alt Estuaries SPA

Annex 2 - Roost locations by species at regional level

First published 27 May 2015

Each species map shows the distribution of roosts within and close to the boundaries of the three SPAs and whether these are Nationally Important i.e. they hold 1% or more of the British population, or Internationally Important i.e. they hold 1% or more of the West European population in the case of wildfowl, or 1% or more of the East Atlantic Flyway population in the case of waders. Maps have only been produced for waterbird species for which data could be obtained from WeBS counts, site meetings and the results of questionnaires.

- Red circles denote roosts of international importance
- Orange circles denote roosts of national importance
- Green circles denote all other roosts

Maps were reproduced from the Ordnance Survey map with the permission of the controller of HMSO. © Crown Copyright. All rights reserved. Licence Number: 100021787.




Figure A.2.1 Whooper Swan roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.2 Pink-footed Goose roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.3 Shelduck Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.4 Wigeon Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.5 Teal Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.6 Pintail Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.7 Common Scoter roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.8 Cormorant Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.9 Oystercatcher Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.10 Ringed Plover Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.11 Grey Plover Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.12 Golden Plover Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.13 Lapwing Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.14 Turnstone Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.15 Knot Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.16 Sanderling Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.17 Dunlin Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.18 Redshank Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.19 Black-tailed Godwit Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.20 Bar-tailed Godwit Roosts within and close to the boundaries of the Liverpool City Region SPAs




Figure A.2.21 Curlew Roosts within and close to the boundaries of the Liverpool City Region SPAs