

FYLDE BOROUGH LOCAL PLAN

**Richmond Avenue
Wrea Green**

**Agricultural Land Classification
ALC Map and Report
February 1999**

**Anya J Spalding
Resource Planning Team
Northern Region
FRCA Wolverhampton**

**RPT Reference: 030/98 & 25/RPT/0797
FRCA Reference: EL 21/11805
LURET Job Number: ME1AQN8**

AGRICULTURAL LAND CLASSIFICATION REPORT
FYLDE BOROUGH LOCAL PLAN
Richmond Avenue, Wrea Green

INTRODUCTION

1. This report presents the findings of a detailed Agricultural Land Classification (ALC) survey on 3.5 hectares of land. The results of this survey supersede any previous ALC information for this land. The land is located to the east of Wrea Green, centred on grid reference SD 401 312. The site is bounded to the north and to the west by residential development and to the south and east by agricultural land.
2. The survey was undertaken on behalf of the Ministry of Agriculture, Fisheries and Food (MAFF) in January 1999 by the Resource Planning Team of the Farming and Rural Conservation Agency (FRCA)- Northern region of FRCA.
3. The land has been graded in accordance with the publication "Agricultural Land Classification of England and Wales - Revised guidelines and criteria for grading the quality of agricultural land" (MAFF 1988) .
4. At the time of survey the agricultural land on this site was under grass.

SUMMARY

5. The findings of the survey are shown on the enclosed ALC map. The map has been drawn at a scale of 1:5000 with an average auger boring density of 2 per hectare. The ALC map is only accurate at this base map scale and any enlargement would be misleading.
6. The area and proportions of the ALC grades and subgrades on the surveyed land are summarised in Table 1.

Table 1: Area of grades and other land

Grade/Other land	Area (hectares)	% surveyed area	% site area
1	-	-	-
2	-	-	-
3a	-	-	-
3b	3.5	100	100
4	-	-	-
5	-	-	-
Agricultural land not surveyed	-	N/A	-
Other land	-	N/A	-
Total surveyed area	3.5	100	-
Total site area	3.5		100

7. The agricultural land on this site has been classified as Subgrade 3b (moderate quality). The key limitation to the agricultural use of this land is soil wetness.

8. Moderate quality land is found throughout the site. The soils commonly comprise a medium clay loam topsoil, overlying a variety of subsoil textures including sandy clay loam, medium clay loam, heavy clay loam and clay.

FACTORS INFLUENCING ALC GRADE

Climate

9. Climate affects the grading of land through the assessment of an overall climatic limitation and also through interactions with soil characteristics.

10. The key climatic variables used for grading this site are given in Table 2 and were obtained from the published 5km grid datasets using standard interpolation procedures (Meteorological Office, 1989).

Table 2: Climatic and altitude data

Factor	Units	Values
Grid reference	N/A	SD 401 312
Altitude	m, AOD	30
Accumulated Temperature	day°C (Jan-June)	1406
Average Annual Rainfall	mm	951
Field Capacity Days	days	210
Moisture Deficit, Wheat	mm	77
Moisture Deficit, Potatoes	mm	61
Overall climatic grade	N/A	Grade 1

11. The climatic criteria are considered first when classifying land as climate can be overriding in the sense that severe limitations will restrict land to low grades irrespective of favourable site or soil conditions.

12. The main parameters used in the assessment of an overall climatic limitation are average annual rainfall (AAR), as a measure of overall wetness, and accumulated temperature (AT0, January to June), as a measure of the relative warmth of a locality.

13. The combination of rainfall and temperature at this site means that there is no overall climatic limitation. The site is climatically Grade 1.

Site

14. The site lies at an altitude of 30 metres AOD. The topography of the site is generally flat in nature.

15. The three site factors of gradient, microrelief and flooding are considered when classifying the land.

16. These factors do not impose any limitation to the agricultural use of the land.

Geology and Soils

17. The solid geology of the area comprises of Kirkham Mudstone - British Geological Survey (1982). The drift geology of the site comprises of Boulder Clay.- British Geological Survey (1971)

18. The soils that have developed on this geology are generally of a clay loam topsoil passing to clay at depth.

Agricultural Land Classification

19. The details of the classification of the site are shown on the enclosed ALC map and the area statistics of each grade are given in Table 1, page 1.

Subgrade 3b

20. Land of moderate quality occupies 3.5 hectares (100%) of the site area.

21. The soils commonly comprise a medium clay loam topsoil, overlying a variety of subsoil textures including sandy clay loam, medium clay loam, heavy clay loam and clay. The depth to gleying and the slowly permeable layer places these soils in Wetness Class IV. At the time of the survey surface water was present in hollows throughout the area.

22. The main limitation to the agricultural use of this land is soil wetness.

Resource Planning Team
Northern Region
FRCA Wolverhampton

SOURCES OF REFERENCE

British Geological Survey (1982) Sheet 75, Preston, Solid Edition.
1:50 000 Scale.
BGS: London.

British Geological Survey (1971) Sheet 75, Preston, Drift Edition.
1:63 360 Scale.
BGS: London.

Ministry of Agriculture, Fisheries and Food (1988) Agricultural Land Classification of
England and Wales: Revised guidelines and criteria for grading the quality of agricultural
land.
MAFF: London.

Meteorological Office (1989) Climatological Data for Agricultural Land Classification.
Meteorological Office: Bracknell.