


# Waterbird population trend analysis of the Mersey Estuary SPA, Mersey Narrows & North Wirral Foreshore pSPA and Ribble & Alt Estuaries SPA

Annex C - Population trends of each waterbird species in each sector of the Liverpool City Region SPAs, and the proportion of the SPA population found in each sector per year:  
Part 3 Mersey Narrows

First published 27 May 2015





**Figure C.46403.** Population trends of each waterbird species in sector 46403 (Mersey Narrows SSSI) (left-hand graphs), and the proportion of the Mersey Narrows and North Wirral Foreshore pSPA population found in this sector per year (right-hand graphs). Blank plots indicate that the species has not been recorded during WeBS counts on the section in question.


















Figure C.46403. Continued



**Figure C.46403. Continued**



**Figure C.46423.** Population trends of each waterbird species in sector 46423 (Seaforth) (left-hand graphs), and the proportion of the Mersey Narrows and North Wirral Foreshore pSPA population found in this sector per year (right-hand graphs). Blank plots indicate that the species has not been recorded during WeBS counts on the section in question.











Figure C.46423. Continued










Figure C.46423. Continued





**Figure C.46473.** Population trends of each waterbird species in sector 46473 (Red Rocks) (left-hand graphs), and the proportion of the Mersey Narrows and North Wirral Foreshore pSPA population found in this sector per year (right-hand graphs). Blank plots indicate that the species has not been recorded during WeBS counts on the section in question.













Figure C.46473. Continued



**Figure C.46473.** Continued



**Figure C.46475.** Population trends of each waterbird species in sector 46475 (Hoylake) (left-hand graphs), and the proportion of the Mersey Narrows and North Wirral Foreshore pSPA population found in this sector per year (right-hand graphs). Blank plots indicate that the species has not been recorded during WeBS counts on the section in question.













Figure C.46475. Continued



**Figure C.46475.** Continued



**Figure C.46476.** Population trends of each waterbird species in sector 46476 (Leasowe Bay and Islands) (left-hand graphs), and the proportion of the Mersey Narrows and North Wirral Foreshore pSPA population found in this sector per year (right-hand graphs). Blank plots indicate that the species has not been recorded during WeBS counts on the section in question.











Figure C.46476. Continued






Figure C.46476. Continued