

## Acknowledgements

This study depended upon the voluntary efforts of a very large number of people who gave up considerable amounts of their time to visit specific sites on the selected dates. Some of the dates chosen were particularly inhospitable, and counting bats out from roosts in summer, is always at unsociable times of the day (or night!). I am most grateful to everyone who assisted, and regret that my budget was unable to stretch to paying travelling expenses. Specifically I would like to express my gratitude to the following persons by site:

**Slebech and Stackpole:** Bob Haycock for collecting faecal samples; Tom McOwat for the birth-timing data; Peter Andrews for exit count data; Alan Hale for arranging grant aid from CCW, and providing maps.

**Dean Hall:** David Priddis and Roger Benham for doing everything between them.

**Woodchester Mansion:** Tim Chapman for assisting me so ably and frequently, and especially for making his infra-red counting equipment and writing the software; David Ransome and Andrew Hulbert for valuable holiday back-up cover.

**Brockley Stables:** Jim Jayne, Bob Howard and Dave Clarke for sharing the visits and work.

**Iford:** Tony Sladden, Alistair Carr and Robin Hirvan for doing everything between them.

**Mells:** Dave Cottle, assisted by Ann Smith, Patrick Andrews, Joyce Andrews and Adele Avery, for collecting the faecal samples and doing their best to count a very mobile maternity colony in a complex and difficult site.

**Brixham:** George Bemment and her substantial team of helpers including Neil Bemment, Nic Butler, Alison Cox, Carl Davis, Peter Folland, Derek King, Nigel Mortimer, Dave Wills and Colin Wills. I am especially indebted to George for organising visits and collections, as well as doing field visits well into her own second pregnancy.

Finally, once again, I thank Dr A.J. Mitchell-Jones for his advice and support as this study progressed.

## References

- BECK, A., BONTADINA, F., GLOOR, S., HOTZ, T., LUTZ, M. & MÜHLETHALER, E. (1994). Jagdhabitatwahl und nächtliche Aufenthaltsgebiete der Grossen Hufeisennase (*Rhinolophus ferrumequinum*) in Raum Castrisch/ GR. *Report from a Swiss study on habitat use by greater horseshoe bats* (in German). Arbeitsgruppe zum Schutz der Hufeisennasen Graubündens ASHG, Encarden 51, 7152 Sagogn, Switzerland. 102pp.
- BONTADINA, F., BECK, A., GLOOR, S., HOTZ, T., LUTZ, M & MÜHLETHALER, E. (1995). Jagt die Grosse Hufeisennase *Rhinolophus ferrumequinum* im Wald?- Grundlagen zum Schutz von Jagdgebieten der letzten grösseren Kolonie in der Schweiz. *Der Ornithologische Beobachter*, **92**: 325-327.
- BONTADINA, F., HOTZ, T., GLOOR, S., BECK, A., LUTZ, M & MÜHLETHALER, E. (In press). Protection of feeding areas of *Rhinolophus ferrumequinum*. An action plan based on the results of a radio-tracking study in an alpine valley of Switzerland. *Proceedings of the Nebra Rhinolophid Bat Conference, 1995*.
- BRIGHT, P.W. 1993. Habitat fragmentation - problems and predictions for British mammals. *Mammal Review*, **23**: 101-111.
- BUTCHER, R.W., LONGWELL, J. & PENTELOW, F.T.K. 1937. Survey of the River Tees. III. The non-tidal reaches - chemical and biological. Technical Paper, Water Pollution Research, London 6 : i-xiii and 1-189. In: T.T. MACAN & E.B. WORTHINGTON. *Life in Lakes & Rivers* (1951)
- CHINERY, M. 1979. *A field guide to the insects of Britain and Northern Europe*. London: Collins.
- DUVERGÉ, P.L. 1997. Foraging activity, habitat use, development of juveniles, and diet of the greater horseshoe bat (*Rhinolophus ferrumequinum* - Schreber 1774) in south-west England. Unpublished Ph.D. Thesis. University of Bristol.
- DUVERGÉ, P.L. & JONES, G. 1994. Greater horseshoe bats- activity, foraging behaviour and habitat use. *British Wildlife*, **6**: 69-77.
- HARDING, P.T. & ROSE, F. 1986. *Pasture-woodlands in lowland Britain. A review of their importance for wildlife conservation*. Institute of terrestrial Ecology. NERC.
- JONES, G. 1990. Prey selection by the greater horseshoe bat (*Rhinolophus ferrumequinum*): optimal foraging by echolocation? *Journal of Animal Ecology*, **59**, 587-602.
- JONES, G. & MORTON, M. 1992. Radio-tracking studies on habitat use by greater horseshoe bats (*Rhinolophus ferrumequinum*). In: I.G. PRIEDE & S.M. SWIFT, eds. *Wildlife telemetry: remote monitoring and tracking of animals*, 521-537. New York, London etc: Ellis Horwood.

- JONES, G. & RAYNER, J.M.V. 1989. Foraging behaviour and echolocation of wild horseshoe bats *Rhinolophus ferrumequinum* and *R. hipposideros* (Chiroptera, Rhinolophidae). *Behavioural Ecology and Sociobiology*, **25**, 183-191.
- JONES, G. & RYDELL, J. 1994. Foraging strategy and predation risk as factors influencing emergence time in echolocating bats. *Philosophical Transactions of the Royal Society of London Series B*, **346**: 445-455.
- JONES, G., DUVERGÉ, P.L. & RANSOME, R.D. 1995. Conservation biology of an endangered species: field studies of greater horseshoe bats. *Symposium of the Zoological Society of London*, No. **67**: 309-324.
- KIRBY, K.J., THOMAS, R.C., KEY, R.S., MCLEAN, I.F.G. & HODGETTS, N. 1995. Pasture-woodland and its conservation in Britain. *Biological Journal of the Linnean Society*, **56** (supplement): 135-153.
- KUNZ, T.H. 1987. Post-natal growth and energetics of suckling bats. In: M.B. FENTON, P.A. RACEY & J.M.V. RAYNER, eds. *Recent advances in the study of bats*. Cambridge: Cambridge University Press.
- LEATHER, S.R., WALTERS, K.F.A. & BALE, J.S. 1993. *The Ecology of Insect Overwintering*. Cambridge University Press, Cambridge.
- LIMPENS, H.J.G.A. & KAPTEYN, K. 1991. Bats, their behaviour and linear landscape elements. *Myotis*, **29**: 39-48.
- MCANEY, C.M., SHIEL, C., SULLIVAN, C. & FAIRLEY J.S. 1991. *The Analysis of Bat Droppings* Occasional Publication of the Mammal Society No. 14.
- MITCHELL-JONES, A.J. 1995. The status and conservation of horseshoe bats in Britain. *Myotis*, **32/33**: 271-284.
- PIR, J.B. 1994. Etho-Ökologische untersuchung einer wochenstubenkolonie der grossen hufeisennase (*Rhinolophus ferrumequinum*, Schreber 1774) in Luxemburg. Unpublished MSc. thesis. Germany: University of Giessen.
- RACEY, P.A. 1973. Environmental factors influencing the length of gestation in heterothermic bats. *Journal of Reproduction and Fertility Supplement*, **19**: 175-189.
- RACEY, P.A. & SPEAKMAN, J.R. 1987. The energy costs of pregnancy and lactation in heterothermic bats. *Symposium of the zoological Society of London*, **57**: 107-125.
- RANSOME, R.D. 1968. The distribution of the Greater horseshoe bat *Rhinolophus ferrumequinum* during hibernation, in relation to environmental factors. *Journal of Zoology, London*, **154**: 77-112.
- RANSOME, R.D. 1971. The effect of ambient temperature on the arousal frequency of the hibernating Greater horseshoe bat *Rhinolophus ferrumequinum* in relation to site selection and the hibernation state. *Journal of Zoology, London*, **164**: 357-371.

- RANSOME, R.D. 1973. Factors affecting the timing of births of the Greater horseshoe bat *Rhinolophus ferrumequinum*. *Periodicum Biologorum*, **75**: 169-175.
- RANSOME, R.D. 1978. Daily activity patterns of the Greater horseshoe bat *Rhinolophus ferrumequinum* from April to September. In: R.J. OLEMBO, J.B. CASTELINO, F.A. MUTERE, eds. *Proceedings of the Fourth International Bat Research Conference*, Kenya National Academy for Advancement of Arts and Science, Kenya Literature Bureau, Nairobi, 259-274.
- RANSOME, R.D. 1989. Population changes of Greater horseshoe bats studied near Bristol over the past twenty-six years. *Biological Journal of the Linnean Society*, **38**: 71-82.
- RANSOME, R.D. 1990. *The natural history of hibernating bats*. London: Christopher Helm.
- RANSOME, R.D. 1991. Greater horseshoe bat. In: G.B. CORBET & S. HARRIS, eds. *The handbook of British Mammals* (3rd edn): 88-94. Blackwell: Oxford.
- RANSOME, R.D. 1995. Earlier breeding shortens life in female greater horseshoe bats. *Philosophical Transactions of the Royal Society, Series B*, **350**: 153-161.
- RANSOME, R.D. 1996. The management of feeding areas for greater horseshoe bats. *English Nature Research Reports*, No. 174, 1-74.
- RANSOME, R.D. (in press). Climatic effects upon foraging success and population changes of female greater horseshoe bats. *Proceedings of the Nebra Rhinolophid Bat Conference, 1995*.
- RANSOME R.D. & MCOWAT, T.P. 1994. Birth timing and population changes in greater horseshoe bat colonies are synchronised by climatic temperature. *Zoological Journal of the Linnean Society*, **112**: 337-351.
- RYDELL, J. 1986a. Foraging and diet of the northern bat *Eptesicus nilssonii* in Sweden. *Holarctic Ecology*, **9**: 272-276.
- RYDELL, J. 1986b. Feeding territoriality in female northern bats, *Eptesicus nilssonii*. *Ethology*, **72**: 329-337.
- RYDELL, J. 1989. Feeding activity of the northern bat *Eptesicus nilssonii* during pregnancy and lactation. *Oecologia (Berlin)*, **80**: 562-565.
- SCHNITZLER, H-U. 1987. Echoes of fluttering insects: information for echolocating bats. In: M.B. FENTON, P.A. RACEY & J.M.V. RAYNER. *Recent advances in the study of bats*. Cambridge: Cambridge University Press.
- SPEAKMAN, J.R. 1990. The function of daylight flying in British bats. *Journal of Zoology, London*, **220**: 101-113.
- SPEAKMAN, J.R. 1991. Why do insectivorous bats in Britain not fly in daylight more frequently? *Functional Ecology*, **5**: 518-524.

- STEBBINGS, R.E. 1982. Radio tracking greater horseshoe bats with preliminary observations on flight patterns. *Symposium of the Zoological Society of London No. 49*, 161-173.
- STONES, R.C. 1965. Laboratory care of little brown bats at thermal neutrality. *Journal of Mammalogy*, **46**: 681-682.
- STONES, R.C. & WEIBERS, J.E. 1965. Seasonal changes in the food consumption of little brown bats held in captivity at a "neutral" temperature of 92 °F. *Journal of Mammalogy*, **46**: 18-22.
- STONES, R.C. & WEIBERS, J.E. 1967. Temperature regulation in the little brown bat, *Myotis lucifugus*. In: K.C. FISHER, A.R. DAWE, C.P. LYMAN, E. SCHONBAUM AND F.E. SOUTH, eds. *Mammalian hibernation III*. New York: American Elsevier.
- TAYLOR, L.R. 1963. Analysis of the effect of temperature on insects in flight. *Journal of Animal Ecology*, **32**: 99-117.
- TUTTLE, M.D. 1975. Population ecology of the gray bat *Myotis grisescens*: Factors influencing early growth and development. *Occasional Papers of the Museum of Natural History, University of Kansas*, **36**: 1-24.
- TUTTLE, M.D. & STEVENSON, D.E. 1982. Growth and Survival of Bats. In: T.H. KUNZ, ed. *Ecology of Bats*. Plenum: New York and London.
- WHITAKER, J.O. 1988. Food habits of insectivorous bats. In: T.H. KUNZ, ed. *Ecological and Behavioural Methods for the Study of Bats*. Washington: Smithsonian Institution Press.
- WHITE, E.J. AND SMITH, R.I. (1982) *Climatological maps of Great Britain*. Institute of Terrestrial Ecology, Cambridge.
- ZAHNER, M. 1984. Nahrungszusammensetzung, aktivität und nächtliche aufenthaltsgebiete der großen hufeisennase *Rhinolophus ferrumequinum* (Chiroptera: Rhinolophidae). Unpublished PhD. thesis. Switzerland: University of Zürich.
- ZAR, J.H. 1984. *Biostatistical analysis*. New Jersey: Prentice-Hall.

**Table 3. Tukey test results for dietary differences between sites for secondary prey items by week of the study.**

Week of study	Secondary prey item	Sites showing significant differences
2	Ichneumonids	Wdch. > Iford & Sleb.
9	Ichneumonids	Iford > all other sites Brixh. > Sleb
10	Ichneumonids	no sign. diffs. between sites (8 sites)
11	Ichneumonids	Wdch. > DHall Mells & Brixh. Brock. > DHall & Brixh.
1	Trichoptera	Mells > Wdch. DHall Brock. Iford
2	Trichoptera	Wdch. & Mells > DHall Brock. Iford & Stack.
2	Tipulids	Brock. Brixh. Stack. & Sleb. > Wdch. & Mells
3	Tipulids	Stack. & Sleb. > Wdch. Brock. Iford
4	Tipulids	Stack. > Wdch. Brock. Iford & Mells
9	Tipulids	Sleb.> all other sites (8 sites)
10	Tipulids	Sleb. > Mells
11	Tipulids	Brixh. > all other sites (6 total - no welsh ones)

KEY: Brock. = Brockley, Brixh. = Brixham, DHall = , Dean Hall, Sleb. = Slebech, Stack. = Stackpole, Wdch. = Woodchester.

NB Brixham data were absent from weeks 3 4 5 & 8. Stackpole and Slebech data were absent from week 11.