

Site Specific Data

Note: The first two pages replicate Table 2 on page 8, to allow cross-referencing of sites to Figure 1 and to original site cards. Data for each site follow, sites ordered according to their numbers in the Table, which replicate the order in which the sites were recorded.

For each site, a list of species found in quadrats ordered by their English names comes first, followed by full quadrat data.

Table 2: Sites and fields sampled as shown in Figure 1

Site number (Figure 1)	Site name	Field reference to English Nature or original recorder's site card
1	Upper Beanhall Farm	(Rookery Cottage) Meadows. North field (no. 60)
1	Upper Beanhall Farm	(Rookery Cottage) Meadows. South field (no. 59)
2	Portway Farm Meadows	North Field (no. 554)
2	Portway Farm Meadows	South Field (no. 552)
3	Duke of York Meadow	Flatter area only sampled
4	Rye Street Meadows East field	Area A
4	Rye Street Meadows West field	Areas C & D
5	Trickses Hole Meadow series A	Field 18/44
5	Trickses Hole Meadow series B	Field 18/44 area with <i>Succisa/Stachys</i>
5	Trickses Hole Meadow series C	Field 18/38
5	Trickses Hole Meadow series D	Field 18/38 area with <i>Succisa</i>
6	Napleton Meadows	Whole site
7	Poolhay Meadows	Field a
8	Penorchard Series A	Field 4/19
8	Penorchard Series B	Field 4/18 MG5 area
8	Penorchard Series C	Field 4/16 short-grazed phase
8	Penorchard Series D	Field 4/16 tall horse-latrine phase
8A	Penorchard (Spring Farm) series A	Field 3/7
8A	Penorchard (Spring Farm) series B	Field 3/22
9	Romsley Manor Farm Meadows Series A	Field 59/104
9	Romsley Manor Farm Meadows Series B	Field 59/108
9	Romsley Manor Farm Meadows Series C	Field 59/128
9	Romsley Manor Farm Meadows Series D	Field 59/127
10	Hurst Farm Meadow	Heavily grazed and poached west end
10	Hurst Farm Meadow	Lightly grazed east end
11	Fox Inn Meadow Series A	Field 2/78
11	Fox Inn Meadow Series B	Field 2/2a south of old drain
12	Leigh Brook Valley	Field 29/34
13	Hawthorn Bush Meadows	Field 604
14	Buckeridge Meadows	Field 510
15	Huntsfield Farm Pasture	Field 588
16	Brotheridge Green Meadows	Field 11/13
17	Feckenham Forest (Parson's piece)	Area with conspicuous <i>Lotus corniculatus</i>

Table 2: Sites and fields sampled as shown in Figure 1

Site number (Figure 1)	Site name	Field reference to English Nature or original recorder's site card
17	Feckenham Forest (Parson's piece)	Area with conspicuous <i>Potentilla erecta</i>
18	Berry Mound Pasture series A	Field immediately south of 31/34
18	Berry Mound Pasture series D	Field 31/38
19	Lords Wood Meadows	Series A (Slope in field 20/25)
19	Lords Wood Meadows	Series B (Northeast part of field 20/24)
19	Lords Wood Meadows	Series C (Slope south of series B)

Species list from quadrats at one site with English names

1: Upper Beanhall Farm (Rookery Cottage) Meadows

English name	Latin name
Agrimony	<i>Agrimonia eupatoria</i>
Autumnal Hawkbit	<i>Leontodon autumnalis</i>
Black Medick	<i>Medicago lupulina</i>
Bulbous Buttercup	<i>Ranunculus bulbosus</i>
Cocksfoot	<i>Dactylis glomerata</i>
Common Bent-grass	<i>Agrostis capillaris</i>
Common Birdsfoot-trefoil	<i>Lotus corniculatus</i>
Common Mouse-ear Chickweed	<i>Cerastium fontanum</i>
Couch-grass	<i>Elymus repens</i>
Cowslip	<i>Primula veris</i>
Creeping Buttercup	<i>Ranunculus repens</i>
Creeping Cinquefoil	<i>Potentilla reptans</i>
Creeping Thistle	<i>Cirsium arvense</i>
Crested Dogstail	<i>Cynosurus cristatus</i>
Crested Hair-grass	<i>Koeleria macrantha</i>
Dandelion	<i>Taraxacum</i> agg.
Fairy Flax	<i>Linum catharticum</i>
False Oat-grass	<i>Arrhenatherum elatius</i>
Field Woodrush	<i>Luzula campestris</i>
Germander Speedwell	<i>Veronica chamaedrys</i>
Glaucous Sedge	<i>Carex flacca</i>
Goatsbeard	<i>Tragopogon pratense</i>
Hairy Violet	<i>Viola hirta</i>
Hardheads	<i>Centaurea nigra</i>
Hawthorn	<i>Crataegus monogyna</i>
Hoary Plantain	<i>Plantago media</i>
Hogweed	<i>Heracleum sphondylium</i>
Lady's Bedstraw	<i>Galium verum</i>
Meadow Barley	<i>Hordeum secalinum</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Foxtail	<i>Alopecurus pratensis</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Ox-eye daisy	<i>Leucanthemum vulgare</i>
Perennial Rye-grass	<i>Lolium perenne</i>
Quaking-grass	<i>Briza media</i>
Ragwort	<i>Senecio jacobaea</i>
Red Clover	<i>Trifolium pratense</i>
Red Fescue	<i>Festuca rubra</i>
Ribwort Plantain	<i>Plantago lanceolata</i>
Rough Hawkbit	<i>Leontodon hispidus</i>
Salad burnet	<i>Sanguisorba minor</i>
Selfheal	<i>Prunella vulgaris</i>

1: Upper Beanhall Farm (Rookery Cottage) Meadows (continued)

English name	Latin name
Smooth Meadow-grass	<i>Poa pratensis</i>
Soft Brome	<i>Bromus mollis</i>
Sorrel	<i>Rumex acetosa</i>
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
Tufted Vetch	<i>Vicia cracca</i>
White Clover	<i>Trifolium repens</i>
Yarrow	<i>Achillea millefolium</i>
Yellow Oat-grass	<i>Trisetum flavescens</i>
Yellow Rattle	<i>Rhinanthus minor</i>
Yorkshire Fog	<i>Holcus lanatus</i>

Species list from quadrats at one site with English names

2: Portway Farm Meadows

English name	Latin name
Agrimony	<i>Agrimonia eupatoria</i>
Autumnal Hawkbit	<i>Leontodon autumnalis</i>
Black Medick	<i>Medicago lupulina</i>
Bulbous Buttercup	<i>Ranunculus bulbosus</i>
Burnet Saxifrage	<i>Pimpinella saxifraga</i>
Cat's-tail	<i>Phleum pratense</i>
Cocksfoot	<i>Dactylis glomerata</i>
Common Bent-grass	<i>Agrostis capillaris</i>
Common Birdsfoot-trefoil	<i>Lotus corniculatus</i>
Common Daisy	<i>Bellis perennis</i>
Common Mouse-ear Chickweed	<i>Cerastium fontanum</i>
Cowslip	<i>Primula veris</i>
Creeping Bent	<i>Agrostis stolonifera</i>
Creeping Cinquefoil	<i>Potentilla reptans</i>
Crested Dogstail	<i>Cynosurus cristatus</i>
Dandelion	<i>Taraxacum</i> agg.
Fairy Flax	<i>Linum catharticum</i>
False Oat-grass	<i>Arrhenatherum elatius</i>
Field Woodrush	<i>Luzula campestris</i>
Glaucous Sedge	<i>Carex flacca</i>
Goatsbeard	<i>Tragopogon pratense</i>
Greater Plantain	<i>Plantago major</i>
Hardheads	<i>Centaurea nigra</i>
Hoary Plantain	<i>Plantago media</i>
Lady's Bedstraw	<i>Galium verum</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Foxtail	<i>Alopecurus pratensis</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Ox-eye daisy	<i>Leucanthemum vulgare</i>
Pepper Saxifrage	<i>Silaum silaus</i>
Perennial Rye-grass	<i>Lolium perenne</i>
Quaking-grass	<i>Briza media</i>
Red Clover	<i>Trifolium pratense</i>
Red Fescue	<i>Festuca rubra</i>
Ribwort Plantain	<i>Plantago lanceolata</i>
Rough Hawkbit	<i>Leontodon hispidus</i>
Salad burnet	<i>Sanguisorba minor</i>
Selfheal	<i>Prunella vulgaris</i>
Smooth Meadow-grass	<i>Poa pratensis</i>
Soft Brome	<i>Bromus mollis</i>
Sorrel	<i>Rumex acetosa</i>
Spear Thistle	<i>Cirsium vulgare</i>

2: Portway Farm Meadows (continued)

English name	Latin name
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
Upright Brome	<i>Bromus erectus</i>
White Clover	<i>Trifolium repens</i>
Yellow Oat-grass	<i>Trisetum flavescens</i>
Yellow Rattle	<i>Rhinanthus minor</i>
Yorkshire Fog	<i>Holcus lanatus</i>

2: Portway Farm Meadows		South field					North field				
Species	Quadrat	1	2	3	4	5	6	7	8	9	10
<i>Agrimonia eupatoria</i>		17	2	9	1	0	0	1	0	2	2
<i>Agrostis capillaris</i>		6	4	4	1	5	2	0	2	1	0
<i>Agrostis stolonifera</i>		0	0	0	0	4	0	0	0	0	0
<i>Alopecurus pratensis</i>		1	0	0	0	0	0	0	0	1	0
<i>Anthoxanthum odoratum</i>		25	16	21	18	23	24	4	11	0	7
<i>Arrhenatherum elatius</i>		0	0	0	0	0	0	1	0	3	0
<i>Bellis perennis</i>		0	1	3	4	0	14	18	5	0	4
<i>Briza media</i>		1	18	11	16	1	3	0	7	3	0
<i>Bromus erectus</i>		0	2	0	0	0	0	0	0	0	0
<i>Bromus mollis</i>		0	0	0	0	0	0	0	1	0	0
<i>Carex flacca</i>		19	17	2	19	0	0	0	5	0	0
<i>Centaurea nigra</i>		3	6	1	0	0	3	16	4	1	4
<i>Cerastium fontanum</i>		0	0	0	0	1	6	9	9	1	12
<i>Cirsium vulgare</i>		0	2	0	0	0	0	0	0	0	0
<i>Cynosurus cristatus</i>		25	12	25	25	25	25	25	21	24	25
<i>Dactylis glomerata</i>		21	18	16	15	24	3	9	19	17	3
<i>Festuca pratensis</i>		18	11	8	5	3	0	0	1	1	0
<i>Festuca rubra</i>		19	25	24	23	23	25	25	25	25	25
<i>Galium verum</i>		12	0	3	25	17	6	9	14	10	5
<i>Holcus lanatus</i>		22	8	7	2	13	4	15	4	15	11
<i>Lathyrus pratensis</i>		17	1	1	4	0	0	0	0	0	0
<i>Leontodon autumnalis</i>		0	5	0	0	0	4	2	0	2	2

2: Portway Farm Meadows		South field					North field				
Species	Quadrat	1	2	3	4	5	6	7	8	9	10
<i>Leontodon hispidus</i>		5	13	2	6	0	15	12	19	17	7
<i>Leucanthemum vulgare</i>		4	11	15	1	5	2	1	4	0	1
<i>Linum catharticum</i>		0	1	0	0	0	0	0	0	0	0
<i>Lolium perenne</i>		10	16	11	9	12	14	23	9	19	16
<i>Lotus corniculatus</i>		11	24	24	25	3	18	22	13	13	8
<i>Luzula campestris</i>		0	0	0	0	0	0	0	0	0	1
<i>Medicago lupulina</i>		1	0	0	0	0	10	10	2	0	3
<i>Phleum pratense</i>		0	0	0	0	2	0	0	0	0	0
<i>Pimpinella saxifraga</i>		0	0	0	0	0	0	0	3	0	0
<i>Plantago lanceolata</i>		14	10	1	22	0	25	24	25	12	25
<i>Plantago major</i>		1	0	0	0	0	0	0	0	0	0
<i>Plantago media</i>		1	1	0	0	0	6	2	15	6	5
<i>Poa pratensis</i>		0	1	0	0	4	0	4	7	2	1
<i>Potentilla reptans</i>		25	7	22	9	24	5	0	0	0	0
<i>Primula veris</i>		7	7	9	10	3	1	3	4	8	2
<i>Prunella vulgaris</i>		0	8	4	1	4	0	11	1	0	1
<i>Ranunculus acris</i>		5	1	6	0	1	0	3	0	0	0
<i>Ranunculus bulbosus</i>		21	20	18	20	16	18	21	17	23	19
<i>Rhinanthus minor</i>		5	7	9	1	5	23	1	25	1	25
<i>Rumex acetosa</i>		0	0	0	0	5	0	0	0	0	0
<i>Sanguisorba minor</i>		0	0	0	0	0	0	0	1	0	0
<i>Silaum silaus</i>		3	6	6	0	2	0	0	0	8	0

2: Portway Farm Meadows		South field					North field				
Species	Quadrat	1	2	3	4	5	6	7	8	9	10
<i>Taraxacum agg.</i>		0	3	0	8	2	8	3	5	0	4
<i>Tragopogon pratense</i>		1	1	1	3	0	1	0	1	0	0
<i>Trifolium pratense</i>		14	14	22	2	3	19	16	10	9	1
<i>Trifolium repens</i>		19	15	8	22	25	3	3	4	17	17
<i>Trisetum flavescens</i>		2	13	2	2	0	9	7	12	24	15

Species list from quadrats at one site with English names

3: Duke of York Meadow

English name	Latin name
Autumnal Hawkbit	<i>Leontodon autumnalis</i>
Catsear	<i>Hypochaeris radicata</i>
Cocksfoot	<i>Dactylis glomerata</i>
Common Bent-grass	<i>Agrostis capillaris</i>
Common Birdsfoot-trefoil	<i>Lotus corniculatus</i>
Common Mouse-ear Chickweed	<i>Cerastium fontanum</i>
Cowslip	<i>Primula veris</i>
Creeping Buttercup	<i>Ranunculus repens</i>
Creeping Cinquefoil	<i>Potentilla reptans</i>
Crested Dogstail	<i>Cynosurus cristatus</i>
Dandelion	<i>Taraxacum agg.</i>
Field Forget-me-not	<i>Myosotis arvensis</i>
Field Woodrush	<i>Luzula campestris</i>
Goatsbeard	<i>Tragopogon pratense</i>
Green-winged Orchid	<i>Orchis morio</i>
Hardheads	<i>Centaurea nigra</i>
Hogweed	<i>Heracleum sphondylium</i>
Lady's Bedstraw	<i>Galium verum</i>
Lesser Trefoil	<i>Trifolium dubium</i>
Meadow Brome	<i>Bromus commutatus</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Foxtail	<i>Alopecurus pratensis</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Ox-eye daisy	<i>Leucanthemum vulgare</i>
Perennial Rye-grass	<i>Lolium perenne</i>
Red Clover	<i>Trifolium pratense</i>
Red Fescue	<i>Festuca rubra</i>
Ribwort Plantain	<i>Plantago lanceolata</i>
Rough Hawkbit	<i>Leontodon hispidus</i>
Selfheal	<i>Prunella vulgaris</i>
Smooth Meadow-grass	<i>Poa pratensis</i>
Soft Brome	<i>Bromus mollis</i>
Sorrel	<i>Rumex acetosa</i>
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
White Clover	<i>Trifolium repens</i>
Wild Daffodil	<i>Narcissus pseudonarcissus</i>
Yarrow	<i>Achillea millefolium</i>
Yellow Oat-grass	<i>Trisetum flavescens</i>
Yellow Rattle	<i>Rhinanthus minor</i>
Yorkshire Fog	<i>Holcus lanatus</i>

3: Duke of York Meadow

Species	Quadrat	1	2	3	4	5
<i>Achillea millefolium</i>		0	0	0	5	6
<i>Agrostis capillaris</i>		24	20	25	24	25
<i>Alopecurus pratensis</i>		0	2	11	3	0
<i>Anthoxanthum odoratum</i>		24	25	25	25	24
<i>Bromus commutatus</i>		0	19	14	14	3
<i>Bromus mollis</i>		19	23	6	9	7
<i>Centaurea nigra</i>		19	23	18	21	19
<i>Cerastium fontanum</i>		0	0	0	6	0
<i>Cynosurus cristatus</i>		25	25	25	25	25
<i>Dactylis glomerata</i>		0	1	0	6	1
<i>Festuca pratensis</i>		0	0	2	0	0
<i>Festuca rubra</i>		5	0	0	2	4
<i>Galium verum</i>		2	15	9	0	0
<i>Heracleum sphondylium</i>		1	0	0	1	0
<i>Holcus lanatus</i>		21	23	24	22	23
<i>Hypochaeris radicata</i>		15	6	1	2	4
<i>Lathyrus pratensis</i>		0	0	1	2	0
<i>Leontodon autumnalis</i>		17	3	1	0	0
<i>Leontodon hispidus</i>		2	0	0	0	1
<i>Leucanthemum vulgare</i>		0	0	0	0	2
<i>Lolium perenne</i>		4	9	12	6	3
<i>Lotus corniculatus</i>		8	20	1	6	10
<i>Luzula campestris</i>		9	8	5	0	6
<i>Myosotis arvensis</i>		3	1	0	0	1
<i>Narcissus pseudonarcissus</i>		0	0	1	0	1
<i>Orchis morio</i>		0	0	0	17	2
<i>Plantago lanceolata</i>		6	19	0	11	3
<i>Poa pratensis</i>		1	0	13	4	1
<i>Potentilla reptans</i>		2	4	0	0	0
<i>Primula veris</i>		0	0	0	2	0
<i>Prunella vulgaris</i>		11	1	0	0	8
<i>Ranunculus acris</i>		21	23	20	17	20
<i>Ranunculus repens</i>		0	0	0	0	1
<i>Rhinanthus minor</i>		3	10	0	1	0

3: Duke of York Meadow

Species	Quadrat	1	2	3	4	5
<i>Rumex acetosa</i>		4	0	5	16	4
<i>Taraxacum agg.</i>		12	2	0	0	11
<i>Tragopogon pratense</i>		0	0	0	1	0
<i>Trifolium dubium</i>		25	17	22	22	18
<i>Trifolium pratense</i>		1	6	3	9	12
<i>Trifolium repens</i>		16	8	9	1	13
<i>Trisetum flavescens</i>		2	0	1	6	4

Species list from quadrats at one site with English names

4: Rye Street Meadows

English name	Latin name
Bulbous Buttercup	<i>Ranunculus bulbosus</i>
Cocksfoot	<i>Dactylis glomerata</i>
Common Bent-grass	<i>Agrostis capillaris</i>
Common Birdsfoot-trefoil	<i>Lotus corniculatus</i>
Common Mouse-ear Chickweed	<i>Cerastium fontanum</i>
Creeping Buttercup	<i>Ranunculus repens</i>
Creeping Cinquefoil	<i>Potentilla reptans</i>
Crested Dogstail	<i>Cynosurus cristatus</i>
Cut-leaved Cranesbill	<i>Geranium dissectum</i>
Dandelion	<i>Taraxacum</i> agg.
Dyers greenweed	<i>Genista tinctoria</i>
Field Woodrush	<i>Luzula campestris</i>
Glaucous Sedge	<i>Carex flacca</i>
Hairy Sedge	<i>Carex hirta</i>
Hardheads	<i>Centaurea nigra</i>
Jointed Rush	<i>Juncus articulatus</i>
Lady's Bedstraw	<i>Galium verum</i>
Large Birdsfoot-trefoil	<i>Lotus uliginosus</i>
Lesser Stitchwort	<i>Stellaria graminea</i>
Lesser Trefoil	<i>Trifolium dubium</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Foxtail	<i>Alopecurus pratensis</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Oval Sedge	<i>Carex ovalis</i>
Ox-eye daisy	<i>Leucanthemum vulgare</i>
Pepper Saxifrage	<i>Silaum silaus</i>
Perennial Rye-grass	<i>Lolium perenne</i>
Quaking-grass	<i>Briza media</i>
Red Clover	<i>Trifolium pratense</i>
Red Fescue	<i>Festuca rubra</i>
Ribwort Plantain	<i>Plantago lanceolata</i>
Rough Hawkbit	<i>Leontodon hispidus</i>
Selfheal	<i>Prunella vulgaris</i>
Smooth Meadow-grass	<i>Poa pratensis</i>
Soft Brome	<i>Bromus mollis</i>
Sorrel	<i>Rumex acetosa</i>
Spear Thistle	<i>Cirsium vulgare</i>
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
Thyme-leaved Speedwell	<i>Veronica serpyllifolia</i>
Tufted Vetch	<i>Vicia cracca</i>

4: Rye Street Meadows (continued)

English Name

Latin name

White Clover

Trifolium repens

Yarrow

Achillea millefolium

Yellow Oat-grass

Trisetum flavescens

Yorkshire Fog

Holcus lanatus

4: Rye Street Meadows		West Field								East Field				
Species	Quadrat	1	2	3	4	5	6	7	8	1	2	3	4	5
<i>Achillea millefolium</i>		0	0	3	0	0	0	0	0	8	13	0	0	19
<i>Agrostis capillaris</i>		15	14	13	14	11	13	14	15	4	20	19	17	22
<i>Alopecurus pratensis</i>		16	13	0	0	11	2	7	3	6	0	4	7	0
<i>Anthoxanthum odoratum</i>		25	24	25	25	25	25	25	21	24	25	25	25	25
<i>Briza media</i>		0	0	7	9	5	6	0	4	0	0	0	0	2
<i>Bromus mollis</i>		0	0	0	0	0	1	0	0	0	0	0	0	0
<i>Carex flacca</i>		1	0	1	9	0	1	0	0	0	0	0	0	0
<i>Carex hirta</i>		6	17	0	0	1	0	2	5	0	2	5	3	0
<i>Carex ovalis</i>		0	0	0	0	0	0	0	0	0	0	0	2	0
<i>Centaurea nigra</i>		1	1	13	24	20	12	6	0	17	19	14	13	11
<i>Cerastium fontanum</i>		8	0	1	0	9	2	5	8	3	5	2	6	3
<i>Cirsium vulgare</i>		0	1	0	0	0	0	0	0	0	2	0	0	0
<i>Cynosurus cristatus</i>		25	25	25	25	25	25	25	25	25	25	25	25	25
<i>Dactylis glomerata</i>		1	0	1	0	9	4	2	2	5	1	0	0	0
<i>Festuca pratensis</i>		0	0	0	0	0	0	0	0	22	8	4	2	1
<i>Festuca rubra</i>		17	25	22	18	19	20	25	24	25	25	25	24	24
<i>Galium verum</i>		0	0	0	0	0	2	5	14	18	17	0	0	18
<i>Genista tinctoria</i>		0	0	0	0	0	0	0	0	2	0	0	0	0
<i>Geranium dissectum</i>		0	0	0	0	0	1	0	0	0	0	0	0	0
<i>Holcus lanatus</i>		22	25	18	16	20	23	25	24	25	24	24	24	21
<i>Juncus articulatus</i>		16	21	0	0	0	0	0	0	0	0	0	2	0
<i>Lathyrus pratensis</i>		4	15	0	0	1	0	14	11	15	1	2	3	3

Species list from quadrats at one site with English names

5: Trickses Hole Meadows

English name	Latin name
Autumnal Hawkbit	<i>Leontodon autumnalis</i>
Betony	<i>Stachys officinalis</i>
Bulbous Buttercup	<i>Ranunculus bulbosus</i>
Catsear	<i>Hypochaeris radicata</i>
Cocksfoot	<i>Dactylis glomerata</i>
Common Bent-grass	<i>Agrostis capillaris</i>
Common Birdsfoot-trefoil	<i>Lotus corniculatus</i>
Common Daisy	<i>Bellis perennis</i>
Common Mouse-ear Chickweed	<i>Cerastium fontanum</i>
Common Vetch	<i>Vicia sativa</i>
Cowslip	<i>Primula veris</i>
Creeping Buttercup	<i>Ranunculus repens</i>
Creeping Cinquefoil	<i>Potentilla reptans</i>
Creeping Thistle	<i>Cirsium arvense</i>
Crested Dogstail	<i>Cynosurus cristatus</i>
Dandelion	<i>Taraxacum agg.</i>
Devil's-bit Scabious	<i>Succisa pratensis</i>
Downy Oat-grass	<i>Avenula pubescens</i>
Fairy Flax	<i>Linum catharticum</i>
False Oat-grass	<i>Arrhenatherum elatius</i>
Field Woodrush	<i>Luzula campestris</i>
Glaucous Sedge	<i>Carex flacca</i>
Greater Plantain	<i>Plantago major</i>
Hairy Sedge	<i>Carex hirta</i>
Hardheads	<i>Centaurea nigra</i>
Hogweed	<i>Heracleum sphondylium</i>
Jointed Rush	<i>Juncus articulatus</i>
Lady's Bedstraw	<i>Galium verum</i>
Lesser Trefoil	<i>Trifolium dubium</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Foxtail	<i>Alopecurus pratensis</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Meadowsweet	<i>Filipendula ulmaria</i>
Ox-eye daisy	<i>Leucanthemum vulgare</i>
Pepper Saxifrage	<i>Silaum silaus</i>
Perennial Rye-grass	<i>Lolium perenne</i>
Pignut	<i>Conopodium majus</i>
Quaking-grass	<i>Briza media</i>
Red Clover	<i>Trifolium pratense</i>
Red Fescue	<i>Festuca rubra</i>

5: Trickses Hole Meadows (continued)

English name	Latin name
Ribwort Plantain	<i>Plantago lanceolata</i>
Rough Hawkbit	<i>Leontodon hispidus</i>
Saw-wort	<i>Serratula tinctoria</i>
Selfheal	<i>Prunella vulgaris</i>
Smooth Meadow-grass	<i>Poa pratensis</i>
Sorrel	<i>Rumex acetosa</i>
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
Thyme-leaved Speedwell	<i>Veronica serpyllifolia</i>
White Clover	<i>Trifolium repens</i>
Yarrow	<i>Achillea millefolium</i>
Yellow Oat-grass	<i>Trisetum flavescens</i>
Yorkshire Fog	<i>Holcus lanatus</i>

5: Trickses Hole	Series A					Series B					Series C					Series D				
	Quadrat	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4
<i>Achillea millefolium</i>	0	1	0	0	0	0	0	4	2	0	0	24	0	2	19	10	1	0	1	0
<i>Agrostis capillaris</i>	11	23	23	25	25	25	20	25	25	25	25	25	25	25	25	25	25	25	25	25
<i>Alopecurus pratensis</i>	10	4	8	16	18	1	1	1	2	1	2	4	11	7	1	0	0	0	0	0
<i>Anthoxanthum odoratum</i>	24	25	25	25	25	25	25	25	25	25	25	25	25	25	25	24	25	24	25	24
<i>Arrhenatherum elatius</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Avenula pubescens</i>	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bellis perennis</i>	0	0	0	2	0	0	0	0	0	0	15	21	25	18	18	5	9	3	6	4
<i>Briza media</i>	0	0	0	0	0	3	0	0	6	6	0	0	0	0	0	14	22	22	21	16
<i>Carex flacca</i>	0	8	0	0	0	2	0	1	1	1	0	0	0	0	0	9	16	12	17	15
<i>Carex hirta</i>	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Centaurea nigra</i>	5	22	13	8	10	15	24	23	22	23	23	17	16	25	25	21	24	21	23	19
<i>Cerastium fontanum</i>	1	1	0	2	0	1	0	2	1	1	2	0	1	0	5	0	0	1	0	0
<i>Cirsium arvense</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
<i>Conopodium majus</i>	0	0	0	0	0	0	5	2	0	1	0	0	0	0	2	0	0	0	0	0
<i>Cynosurus cristatus</i>	25	25	25	25	25	25	23	25	25	25	25	25	25	25	25	25	25	24	25	24
<i>Dactylis glomerata</i>	2	1	0	1	0	14	2	2	0	1	13	6	0	0	6	1	0	0	0	0
<i>Festuca pratensis</i>	0	0	0	2	4	3	1	0	7	4	1	0	0	0	3	0	0	5	0	4
<i>Festuca rubra</i>	20	14	18	10	8	18	23	25	25	25	25	25	25	25	25	20	16	21	25	24
<i>Filipendula ulmaria</i>	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Galium verum</i>	0	0	0	0	0	0	1	16	5	18	1	1	0	0	0	0	6	2	0	0
<i>Heracleum sphondylium</i>	2	0	1	0	5	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0

5: Trickses Hole	Series A					Series B					Series C					Series D				
	Quadrat	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4
<i>Holcus lanatus</i>	22	23	24	23	21	19	24	24	23	21	2	6	0	7	2	11	3	4	1	2
<i>Hypochaeris radicata</i>	0	0	1	0	0	3	1	1	0	0	0	1	12	10	8	6	14	19	8	7
<i>Juncus articulatus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3
<i>Lathyrus pratensis</i>	16	6	0	0	0	0	17	6	2	0	0	0	0	0	0	0	0	0	0	0
<i>Leontodon autumnalis</i>	0	0	0	0	0	0	0	0	0	0	10	9	10	3	8	13	5	8	14	11
<i>Leontodon hispidus</i>	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	12	2	0	0	0
<i>Leucanthemum vulgare</i>	0	1	2	3	5	9	6	1	8	8	1	5	2	1	4	9	9	2	0	0
<i>Linum catharticum</i>	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Lolium perenne</i>	23	25	22	25	21	5	2	2	9	8	25	25	25	25	25	10	6	14	13	14
<i>Lotus corniculatus</i>	1	8	11	15	11	25	23	24	25	21	0	16	2	5	22	11	24	16	19	15
<i>Luzula campestris</i>	0	4	0	5	0	2	6	7	3	3	0	4	0	0	1	0	1	0	0	0
<i>Plantago lanceolata</i>	0	16	0	0	2	2	0	0	0	8	0	24	20	17	16	21	18	16	23	22
<i>Plantago major</i>	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	1
<i>Poa pratensis</i>	1	0	0	1	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0
<i>Potentilla reptans</i>	0	9	1	3	7	0	5	3	0	6	0	0	0	2	0	1	1	4	0	0
<i>Primula veris</i>	0	1	0	0	1	0	1	2	0	5	0	0	0	0	1	0	0	0	0	0
<i>Prunella vulgaris</i>	5	6	4	0	18	7	0	1	2	16	10	10	18	22	16	7	8	8	10	4
<i>Ranunculus acris</i>	24	14	21	24	23	9	3	1	4	10	18	20	17	19	8	7	7	17	16	17
<i>Ranunculus bulbosus</i>	0	0	0	0	0	0	10	15	10	1	2	0	0	0	0	11	7	0	0	0
<i>Ranunculus repens</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
<i>Rumex acetosa</i>	7	3	1	7	2	1	3	5	3	1	2	0	0	0	1	1	0	0	0	0
<i>Serratula tinctoria</i>	0	0	0	0	0	23	9	0	3	7	0	2	0	2	3	4	10	0	1	23

5: Trickses Hole	Series A					Series B					Series C					Series D				
Quadrat	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
<i>Silaum silaus</i>	0	9	25	9	20	8	13	7	20	12	5	0	0	1	0	2	7	7	10	2
<i>Stachys officinalis</i>	0	0	0	0	0	2	5	9	0	6	0	0	0	1	2	0	4	0	1	5
<i>Succisa pratensis</i>	0	0	0	0	0	13	7	4	10	0	0	2	0	0	0	9	5	3	11	10
<i>Taraxacum agg.</i>	0	0	0	1	0	0	0	0	4	0	6	14	21	9	8	9	7	5	6	6
<i>Trifolium dubium</i>	2	7	0	1	1	2	2	4	4	1	1	0	0	0	1	0	0	0	0	0
<i>Trifolium pratense</i>	9	13	13	7	19	9	11	20	14	20	4	9	9	10	3	7	4	2	7	1
<i>Trifolium repens</i>	7	6	12	11	3	6	4	6	2	2	18	7	19	18	13	19	7	18	12	10
<i>Trisetum flavescens</i>	0	0	0	2	0	2	7	3	6	0	0	2	0	0	0	1	0	0	0	0
<i>Veronica serpyllifolia</i>	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0
<i>Vicia sativa</i>	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0

Species list from quadrats at one site with English names

6: Napleton Meadows

English name	Latin name
Agrimony	<i>Agrimonia eupatoria</i>
Autumnal Hawkbit	<i>Leontodon autumnalis</i>
Blackthorn	<i>Prunus spinosa</i>
Catsear	<i>Hypochaeris radicata</i>
Cocksfoot	<i>Dactylis glomerata</i>
Common Bent-grass	<i>Agrostis capillaris</i>
Common Birdsfoot-trefoil	<i>Lotus corniculatus</i>
Common Mouse-ear Chickweed	<i>Cerastium fontanum</i>
Creeping Cinquefoil	<i>Potentilla reptans</i>
Creeping Thistle	<i>Cirsium arvense</i>
Crested Dogstail	<i>Cynosurus cristatus</i>
Dandelion	<i>Taraxacum agg.</i>
Downy Oat-grass	<i>Avenula pubescens</i>
Dropwort	<i>Filipendula vulgaris</i>
Glaucous Sedge	<i>Carex flacca</i>
Hardheads	<i>Centaurea nigra</i>
Lady's Bedstraw	<i>Galium verum</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Foxtail	<i>Alopecurus pratensis</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Ox-eye daisy	<i>Leucanthemum vulgare</i>
Pepper Saxifrage	<i>Silaum silaus</i>
Perennial Rye-grass	<i>Lolium perenne</i>
Quaking-grass	<i>Briza media</i>
Red Clover	<i>Trifolium pratense</i>
Red Fescue	<i>Festuca rubra</i>
Ribwort Plantain	<i>Plantago lanceolata</i>
Selfheal	<i>Prunella vulgaris</i>
Smooth Meadow-grass	<i>Poa pratensis</i>
Sorrel	<i>Rumex acetosa</i>
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
White Clover	<i>Trifolium repens</i>
Yarrow	<i>Achillea millefolium</i>
Yellow Oat-grass	<i>Trisetum flavescens</i>
Yorkshire Fog	<i>Holcus lanatus</i>

6: Napleton Meadow

Species	Quadrat	1	2	3	4	5
<i>Achillea millefolium</i>		0	10	9	8	6
<i>Agrimonia eupatoria</i>		4	0	1	3	2
<i>Agrostis capillaris</i>		24	24	25	25	25
<i>Alopecurus pratensis</i>		0	2	1	0	0
<i>Anthoxanthum odoratum</i>		25	24	25	25	25
<i>Avenula pubescens</i>		0	0	0	2	0
<i>Briza media</i>		0	0	0	5	2
<i>Carex flacca</i>		2	0	0	0	4
<i>Centaurea nigra</i>		25	25	25	24	25
<i>Cerastium fontanum</i>		0	5	1	0	0
<i>Cirsium arvense</i>		0	8	0	0	0
<i>Cynosurus cristatus</i>		6	8	3	16	22
<i>Dactylis glomerata</i>		16	11	3	1	2
<i>Festuca pratensis</i>		4	7	14	3	9
<i>Festuca rubra</i>		23	25	25	25	25
<i>Filipendula vulgaris</i>		0	0	0	0	7
<i>Galium verum</i>		24	22	24	24	24
<i>Holcus lanatus</i>		2	14	7	8	8
<i>Hypochaeris radicata</i>		1	2	7	11	5
<i>Lathyrus pratensis</i>		0	13	1	0	0
<i>Leontodon autumnalis</i>		0	3	1	5	0
<i>Leucanthemum vulgare</i>		1	0	0	3	0
<i>Lolium perenne</i>		0	0	0	1	1
<i>Lotus corniculatus</i>		20	3	20	21	22
<i>Plantago lanceolata</i>		10	18	16	25	6
<i>Poa pratensis</i>		0	7	11	0	0
<i>Potentilla reptans</i>		0	6	0	0	0
<i>Prunella vulgaris</i>		9	4	0	9	4
<i>Prunus spinosa</i>		1	0	0	0	0
<i>Ranunculus acris</i>		5	24	22	18	16
<i>Rumex acetosa</i>		0	6	0	0	0
<i>Silaum silaus</i>		7	12	4	8	13
<i>Taraxacum agg.</i>		2	0	8	4	1
<i>Trifolium pratense</i>		3	7	24	15	21
<i>Trifolium repens</i>		6	3	4	3	3
<i>Trisetum flavescens</i>		0	0	3	6	1

Species list from quadrats at one site with English names

7: Poolhay Meadows

English name	Latin name
Catsear	<i>Hypochaeris radicata</i>
Cocksfoot	<i>Dactylis glomerata</i>
Common Bent-grass	<i>Agrostis capillaris</i>
Common Birdsfoot-trefoil	<i>Lotus corniculatus</i>
Common Daisy	<i>Bellis perennis</i>
Common Mouse-ear Chickweed	<i>Cerastium fontanum</i>
Common Vetch	<i>Vicia sativa</i>
Crested Dogstail	<i>Cynosurus cristatus</i>
Cut-leaved Cranesbill	<i>Geranium dissectum</i>
Dandelion	<i>Taraxacum</i> agg.
Field Forget-me-not	<i>Myosotis arvensis</i>
Field Woodrush	<i>Luzula campestris</i>
Glaucous Sedge	<i>Carex flacca</i>
Hairy Sedge	<i>Carex hirta</i>
Hardheads	<i>Centaurea nigra</i>
Jointed Rush	<i>Juncus articulatus</i>
Lesser Trefoil	<i>Trifolium dubium</i>
Meadow Barley	<i>Hordeum secalinum</i>
Meadow Brome	<i>Bromus commutatus</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Meadow Fescue	<i>Festuca pratensis</i>
Meadow Foxtail	<i>Alopecurus pratensis</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Ox-eye daisy	<i>Leucanthemum vulgare</i>
Pepper Saxifrage	<i>Silaum silaus</i>
Perennial Rye-grass	<i>Lolium perenne</i>
Red Clover	<i>Trifolium pratense</i>
Red Fescue	<i>Festuca rubra</i>
Ribwort Plantain	<i>Plantago lanceolata</i>
Rough Hawkbit	<i>Leontodon hispidus</i>
Selfheal	<i>Prunella vulgaris</i>
Smooth Meadow-grass	<i>Poa pratensis</i>
Soft Brome	<i>Bromus mollis</i>
Sorrel	<i>Rumex acetosa</i>
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
Wavy Bitter-cress	<i>Cardamine flexuosa</i>
White Clover	<i>Trifolium repens</i>
Yellow Oat-grass	<i>Trisetum flavescens</i>
Yellow Rattle	<i>Rhinanthus minor</i>
Yorkshire Fog	<i>Holcus lanatus</i>

7: Poolhay Meadows

Species	Quadrat	1	2	3	4	5
<i>Agrostis capillaris</i>		24	25	25	25	25
<i>Alopecurus pratensis</i>		0	0	0	3	3
<i>Anthoxanthum odoratum</i>		25	25	25	25	25
<i>Bellis perennis</i>		3	0	1	0	0
<i>Bromus commutatus</i>		8	2	1	2	10
<i>Bromus mollis</i>		6	15	15	21	15
<i>Cardamine flexuosa</i>		0	0	0	0	1
<i>Carex flacca</i>		8	0	0	0	0
<i>Carex hirta</i>		0	0	1	0	0
<i>Centaurea nigra</i>		22	20	21	11	5
<i>Cerastium fontanum</i>		6	3	3	0	2
<i>Cynosurus cristatus</i>		25	25	25	25	25
<i>Dactylis glomerata</i>		1	1	0	1	0
<i>Festuca pratensis</i>		5	3	2	10	0
<i>Festuca rubra</i>		25	25	24	25	25
<i>Geranium dissectum</i>		0	0	1	2	1
<i>Holcus lanatus</i>		24	25	25	25	25
<i>Hordeum secalinum</i>		7	2	8	15	17
<i>Hypochaeris radicata</i>		2	0	0	0	0
<i>Juncus articulatus</i>		10	14	0	0	0
<i>Lathyrus pratensis</i>		10	0	2	0	5
<i>Leontodon hispidus</i>		3	0	0	0	0
<i>Leucanthemum vulgare</i>		1	0	0	0	0
<i>Lolium perenne</i>		9	11	23	25	19
<i>Lotus corniculatus</i>		11	3	5	1	0
<i>Luzula campestris</i>		2	3	14	1	0
<i>Myosotis arvensis</i>		1	5	0	0	0
<i>Plantago lanceolata</i>		8	9	16	1	1
<i>Poa pratensis</i>		12	3	3	6	5
<i>Prunella vulgaris</i>		3	17	3	4	0
<i>Ranunculus acris</i>		21	20	25	22	21
<i>Rhinanthus minor</i>		12	18	7	1	12
<i>Rumex acetosa</i>		8	4	6	13	16
<i>Silaum silaus</i>		0	0	0	0	2

7: Poolhay Meadows

Species	Quadrat	1	2	3	4	5
<i>Taraxacum</i> agg.		4	2	2	3	0
<i>Trifolium dubium</i>		16	22	18	16	11
<i>Trifolium pratense</i>		7	10	14	10	1
<i>Trifolium repens</i>		1	8	2	1	0
<i>Trisetum flavescens</i>		0	0	9	10	5
<i>Vicia sativa</i>		0	0	0	0	1