

REFERENCES

- ABBOTT, I. 1983. The meaning of z in species/area regressions and the study of species turnover in island biogeography. *Oikos*, **41**, 385-90.
- ABELE, L.G. & CONNOR, E.F. 1979. Application of island biogeographic theory to refuge design: making the right decisions for the wrong reasons. *Proceedings of Conference on Scientific Research in National Parks*, **1**, 89-94.
- ABELE, L.G. & PATTON, W.K. 1976. The size of coral heads and the community biology of associated decapod crustaceans. *Journal of Biogeography*, **3**, 35-47.
- ADAMS, L.W. & DOVE, L.E. 1989. *Wildlife reserves and corridors in the urban environment, a guide to ecological landscape planning and resource conservation*. Columba, Maryland, National Institute for Urban Wildlife.
- ADAMS, L.W. & GEIS, A.D. 1983. Effect of roads on small mammals. *Journal of Applied Ecology*, **20**, 403-15.
- AMBUEL, B. & TEMPLE, S.A. 1983. Area-dependent changes in the bird communities and vegetation of southern Wisconsin forests. *Ecology*, **64**, 1057-1068.
- ANDREWARTHA, H.G. & BIRCH, L.C. 1954. *The distribution and abundance of animals*. University of Chicago Press, Chicago.
- ANDREWS, J. 1993. The reality and management of wildlife corridors. *British Wildlife*, **5**, 1-7..
- ARNOLD, G.W. 1983. The influence of ditch and hedgerow structure, length of hedgerows and area of woodland and garden bird numbers in farmland. *Journal of Applied Ecology*, **20**, 731-50.
- ASKINS, R.A., PHILBRICK, M.J. & SUGENO, D.S. 1987. Relationship between the regional abundance of forest and the composition of forest bird communities. *Biological Conservation*, **39**, 129-152.
- BARBOUR, L.D. & BROWN, J.H. 1974. Fish species diversity in lakes. *American Naturalist*, **108**, 473-89.
- BAUDRY, J. 1984. Effects of landscape structure on biological communities: the case of hedgerow network landscapes. *Methodology in Landscape, Ecological Research and Planning*, **1**, 55-65.
- BAUDRY, J. 1988. Hedgerows and hedgerow networks as wildlife habitat in agricultural landscapes. In: J.R. PARK ed. *Environmental Management in Agriculture. European Perspectives*, 111-124. London, Belhaven.
- BAUDRY, J. & MERRIAM, G. 1988. Connectivity and connectiveness: functional versus structural patterns in landscapes. *Munstersche Geographische Arbeiten*, **29**, 23-28.
- BELLAMY, P.E., HINSLY, S.A. & NEWTON, I. 1993. Breeding birds of small woods in an agricultural landscape: an application of island biogeography theory. In: R. HAINES-YOUNG ed. *Landscape ecology in Britain*, 35-44. Nottingham, Department of Geography, University of Nottingham.

- BENNETT, A.F. 1990. Habitat corridors and the conservation of small mammals in a fragmented forest environment. *Landscape Ecology*, **4**, 109-122.
- BENNETT, A.F. 1991a What types of organism will use corridors? In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 407-408. Chipping Norton, NSW, Surrey Beatty.
- BENNETT, A.F. 1991b. Roads, roadsides and wildlife conservation: a review. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 99-108. Chipping Norton, NSW, Surrey Beatty.
- BIERREGAARD, R.O. 1990. Avian communities in the understorey of Amazonian forest fragments. In: A. KEAST ed. *Biogeography and ecology of forest bird communities*, 133-343. The Hague, SPB Academic Publishing.
- BLAKE, J.G. & KARR, J.R. 1984. Species composition of bird communities and the conservation benefit of large versus small forests. *Biological Conservation*, **30**, 173-187.
- BLONDEL, J. 1980. L'influence du morcellement des paysages sur la structure des communautés. *Acta oecologica. Oecologia generalis*, **1**, 91-100.
- BLYTH, J.D. 1991. The role of corridors in a changing climate. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 402-403. Chipping Norton, NSW, Surrey Beatty.
- BOECKLEN, W.J. 1986. Optimal design of nature reserves: consequences of genetic drift. *Biological Conservation*, **38**, 323-338.
- BOECKLEN, W.J. & GOTELLI, N.J. 1984. Island biogeographic theory and conservation practice: species-area or specious-area relationships? *Biological Conservation*, **29**, 63-80.
- BOECKLEN, W.J. & SIMBERLOFF, D. 1986. Area-based extinction models in conservation. In: D.K. Elliott ed. *Dynamics of extinction*, 247-276. New York, Wiley.
- BOONE, G.C. & TINCKLIN, R. 1988. The importance of hedgerow structure in the occurrence and density of small mammals. *Aspects of Applied Biology*, **16**, 73-78.
- BOREHAM, S. & BIRCH, P. 1990. Changes in the macro-invertebrate benthos of a rural Essex clay stream following pollution by the pesticide Dursban. *The London Naturalist*, **69**, 79-84.
- BRIDGEWATER, P.B. 1987. Connectivity: an Australian perspective. In: D.A. SAUNDERS, ARNOLD, G.W., BURBRIDGE A.A. & HOPKINS A.J.M. eds. *Nature conservation: the role of remnants of native vegetation*, 195-200. Chipping Norton, NSW, Surrey Beatty.
- BRIGHT, P.W., MITCHELL, P. & MORRIS, P.A. 1992. *Dormice distribution in Herefordshire: survey methods and effects of wood age, size and isolation*. Peterborough, English Nature (Unpublished report.)
- BROCKIE, R.E., LOOPE, L.L., USHER, M.B. & HAMANN, O. 1988. Biological invasions of island nature reserves. *Biological Conservation*, **44**, 9-36.

- BROWN, J.H. 1971. Mammals on mountaintops: non-equilibrium insular biogeography. *American Naturalist*, **105**, 467-478.
- BROWN, J.H. 1978. The theory of insular biogeography and the distribution of boreal birds and mammals. *Great Basin Naturalists Memoirs*, **2**, 209-227.
- BROWN, J.H. & Kodric-Brown, A. 1977. Turnover rates in insular biogeography: effect of immigration on extinction. *Ecology*, **58**, 445-449.
- BROWN, J.L. 1969. Territorial behaviour and population regulation in birds. *Wilson Bulletin*, **81**, 293-329.
- BROWN, L.E. 1962. Home range in small mammal communities. *Survey of Biological Progress*, **4**, 131-179.
- BUNCE, R.G.H. 1993. The scientific basis of landscape ecology. In: R. HAINES-YOUNG ed. *Landscape ecology in Britain*, 1-7. Nottingham, Department of Geography, University of Nottingham.
- BUREL, F. 1984. Effects of landscape structure on biological communities: the case of hedgerow network landscapes. In: J. BRANDT & AGGER P. eds. *Methodology in Landscape Ecological Research and Planning*, 55-66. Denmark, Roskilde University Centre.
- BUREL, F. 1989. Landscape structure effects on carabid beetle spatial patterns in western France. *Landscape Ecology*, **2**, 1-12.
- BUREL, F. & BAUDRY, J. 1990. Hedgerow networks as habitats for forest species: implications for colonising abandoned agricultural land. In: R.G.H. BUNCE & HOWARD, D.C. eds. *Species Dispersal in Agricultural Habitats*, 18-64. London, Bellhaven.
- BURGMAN, M.A., AKCAKAYA, H.R. & LOEW, S.S. 1988. The use of extinction models for species conservation. *Biological Conservation*, **43**, 9-25.
- BURKEY, T.V. 1989. Extinction in nature reserves: the effects of fragmentation and the importance of movement between reserve fragments. *Oikos*, **55**, 75-81.
- BUTCHER, G.S., NIERING, W.A., BARRY, W.J. & GOODWIN, R.H. 1981. Equilibrium biogeography and the size of nature preserves: an avian case study. *Oecologia*, **49**, 29-37.
- CAMERON, R.A.D., DOWN, K. & PANNETT, D.J. 1980. Historical and environmental influences on hedgerow snail faunas. *Biological Journal of the Linnaean Society*, **13**, 75-87.
- COLEMAN, B.D., MARES, M.A., WILLIG, M.R. & HSIEH, Y.-H. 1982. Randomness, area, and species richness. *Ecology*, **63**, 1121-33.
- COMMINS, H.N. & NOBLE, I.R. 1985. Dispersal, variability and transient niches: species coexistence in a uniformly variable environment. *American Naturalist*, **126**, 706-723.
- CONNOR, E.F. & MCCOY, E.D. 1979. The statistics and biology of the species-area relationship. *American Naturalist*, **113**, 791-833.

- CONNOR, E.F., MCCOY, E.D. & COSBY, B.J. 1983. Model discrimination and expected slope values in species-area studies. *American Naturalist*, **122**, 789-796.
- CONNOR, E.F. & SIMBERLOFF, D. 1978. Species number and compositional similarity of the Galapagos flora and avifauna. *Ecological Monographs*, **48**, 219-248.
- COVITCH, A.P. 1976. Analysing shapes of foraging areas: some ecological and economic theories. *Annual Review of Ecology and Systematics*, **7**, 235-257.
- COX, P.R. 1993. *Badgers on site. A guide for developers and planners*. Reading, Berkshire County Council.
- CROWELL, K.L. 1963. On determinants of insular faunas. *American Naturalist*, **97**, 194-196.
- CROWLEY, P.H. 1981. Dispersal and the stability of predator-prey interactions. *American Naturalist*, **118**, 673-701.
- DALE, V.H. 1989. Wind dispersed seeds, and plant recovery on Mount St Helens debris avalanche. *Canadian Journal of Botany* (in press).
- DATE, E.M., FORD, H.A. & RECHER, H.F. 1991. Frugivorous pigeons, stepping stones and weeds, in northern New South Wales. In: D.A. SAUNDERS & R.J. HOBBS eds. *Nature Conservation 2: the Role of Corridors*, 241-245. Chipping Norton, NSW, Surrey Beatty.
- DAVIS, A.M. & GLICK, T.F. 1978. Urban ecosystems and island biogeography. *Environmental Conservation*, **5**, 299-304.
- DAWSON, D.G. 1984. Biogeographical theory and practical guidelines. *Journal of the Royal Society of New Zealand*, **14**, 12-15.
- DEMPSTER, J.P. 1991. Fragmentation, isolation and mobility of insect populations. In: N.M. COLLINS & THOMAS, J.A. eds. *The Conservation of Insects and their Habitats*, 143-153. 15th Symposium of the Royal Entomological Society of London.
- den BOER, P.J. 1981. On the survival of populations in a heterogeneous and variable environment. *Oecologia*, **50**, 39-53.
- den BOER, P.J. 1990. The survival value of dispersal in terrestrial arthropods. *Biological Conservation*, **54**, 175-192.
- DENNIS, R.L.H. & SHREEVE, T.G. 1991. Climatic change and the British butterfly fauna; opportunities and constraints. *Biological Conservation*, **55**, 1-16.
- DIAMOND, J.M. 1969. Avifaunal equilibria and species turnover rates on the Channel Islands of California. *Proceedings National Academy of Sciences*, **64**, 57-63.
- DIAMOND, J.M. 1972. Biogeographic kinetics: estimation of relaxation times for avifaunas of southwest Pacific islands. *Proceedings of the National Academy of Sciences*, **69**, 3199-3203.
- DIAMOND, J.M. 1973. Distributional ecology of New Guinea birds. *Science*, **179**, 759-769.

- DIAMOND, J.M. 1974. Relaxation and differential extinction on land-bridge islands: applications to natural preserves. *Proceedings of 16th International Ornithological Congress*, 616-628.
- DIAMOND, J.M. 1975. The island dilemma: lessons of modern biogeographic studies for the design of natural preserves. *Biological Conservation*, **7**, 129-146.
- DIAMOND, J.M. 1981. Current issues in conservation. *Nature*, **289**, 250-251.
- DIAMOND, J.M. 1984. 'Normal' extinctions of isolated populations. In: M.H. NETECKI ed. *Extinctions*, 191-246 Chicago, Chicago University Press.
- DIAMOND, J.M. & MAY, R.M. 1976. Island biogeography and the design of natural reserves. In: R.M. MAY ed. *Theoretical ecology. Principles and applications*, 163-186, Oxford, Blackwell.
- DIAMOND, J.M. & MAY, R.M. 1977. Species turnover on islands: dependence on census interval. *Science*, **197**, 266-270.
- DOVER, J.W. 1991. The conservation of insects on arable farmland. In: N.M. COLLINS, & THOMAS, J.A. eds. *The Conservation of Insects and their Habitats*, 15th Symposium of the Royal Entomological Society of London, 293-318.
- DUELLI, P. 1990. Population movements of arthropods between natural and cultivated areas. *Biological Conservation*, **54**, 193-207.
- EUROPEAN ECONOMIC COMMUNITY. 1992. *On the conservation of natural habitats and wild fauna and flora*. EEC Council Directive 92/43.
- ELDRIDGE, J. 1971. Some observations on the dispersion of small mammals in hedgerows. *Journal of Zoology, London*, **165**, 530-534.
- ELTON, C. 1927. *Animal Ecology*. Sidgwick & Jackson, London.
- ELTON, C. 1966. *The pattern of animal communities*. Methuen, London.
- FAABORG, J. 1979. Qualitative patterns of avian extinction on neotropical land-bridge islands: lessons for conservation. *Journal of Applied Ecology*, **16**, 99-107.
- FAETH, S.H. & CONNOR, E.F. 1979. Supersaturated and relaxing island faunas: a critique of the species-age relationship. *Journal of Biogeography*, **6**, 311-316.
- FAHRIG, L. & MERRIAM, G. 1985. Habitat patch connectivity and population survival. *Ecology*, **66**, 1762-68.
- FAHRIG, L. & PALOHEIMO, J. 1988. Effect of spatial arrangement of habitat patches on local population size. *Ecology* **69**, 648-675.
- FLEMING, C.A. 1975. Scientific planning of reserves. *Forest & Bird*, **196**, 15-18.

- FORMAN, R.T.T. 1991. Landscape corridors: from theoretical foundations to public policy. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*, 71-84. Chipping Norton, NSW, Surrey Beatty.
- FORMAN, R.T.T., GALLI, A.E., & LECK, C.F. 1976. Forest size and avian diversity in New Jersey woodlots with some land use implications. *Oecologia*, **26**, 1-8.
- FORMAN, R.T.T. & GODRON, M. 1981. Patches and structural components for a landscape ecology. *Bioscience*, **31**, 733-740.
- FORMAN, R.T.T. & GODRON, M. 1984. Landscape ecology principles and landscape function. In: J. BRANDT & AGGER, P. eds. *Landscape Ecological Research and Planning I*, 4-15. Denmark, Roskilde University Centre.
- FORMAN, R.T.T. & GODRON, M. 1986. *Landscape ecology*. John Wiley & Sons, New York.
- FORMAN, R.T.T. & MOORE, P.N. 1990. Theoretical foundations for understanding boundaries in landscape mosaics. In: A.J. HANSEN & DI CASTRI, F. eds, *Landscape boundaries. Consequences for biotic diversity and ecological flows*, 236-258. London, Springer-Verlag.
- FRANKEL, O.H. & SOULE, M.E. 1981. *Conservation evaluation*. Cambridge University Press, Cambridge.
- FREEMARK, K.E. & MERRIAM, H.G. 1986. Importance of area and habitat heterogeneity to bird assemblages in temperate forest fragments. *Biological Conservation*, **36**, 115-141.
- FRETWELL, S.D. & LUCAS, H.L. 1970. On territorial behaviour and other factors influencing the habitat distribution in birds. Part I Theoretical development. *Acta Biotheretica*, **19**, 16-36.
- FRIEND, G.R. 1991. Does corridor width and composition affect movement? In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 404-405. Chipping Norton, NSW, Surrey Beatty.
- GALLI, A.E., LECK, C.F. & FORMAN, R.T.T. 1976. Avian distribution patterns in forest islands of different sizes in central New Jersey. *The Auk*, **93**, 356-364.
- GAME, M. & PETERKEN, G.F. 1984. Nature reserve selection strategies in the woodlands of central Lincolnshire, England. *Biological Conservation*, **29**, 157-81.
- GILBERT, F.S. 1980. The equilibrium theory of island biogeography: fact or fiction. *Journal of Biogeography*, **7**, 209-235.
- GILPIN, M.E. 1980. The role of stepping-stone islands. *Theoretical Population Biology*, **17**, 247-253.
- GILPIN, M.E. 1981. Peninsular diversity patterns. *American Naturalist*, **118**, 291-296.
- GILPIN, M.E. 1991. The genetic effective size of a metapopulation. *Biological Journal of the Linnean Society*, **42**, 165-175.
- GILPIN, M.E. & ARMSTRONG, R.A. 1981. On the concavity of island biogeographic rate functions. *Theoretical Population Biology*, **20**, 209-217.

- GILPIN, M.E. & DIAMOND, J.A. 1981. Immigration and extinction probabilities for individual species. Relation to incidence functions and species colonization curves. *Proceedings of the National Academy of Sciences (USA)*, **78**, 392-396.
- GILPIN, M.E. & SOULE, M.E. 1986. Minimum viable populations: processes of species extinction. In: M.E. SOULE ed. *Conservation Biology and the Science of Scarcity and Diversity*, 19-34. Sinauer, Sunderland, Mass.
- GOEDEN, G.B. 1979. Biogeographic theory as a management tool. *Environmental Conservation*, **6**, 27-32.
- GOLDSTEIN-GOLDING, E.L. 1991. The ecology and structure of urban greenspaces. In: S.S. BELL, MCCOY, E.D. & MUUSHINSKY, H.R. eds. *Habitat Structure. The Physical Arrangement of Objects in Space*. 392-411, London, Chapman & Hall.
- GOODMAN, D. 1987. The demography of chance extinction. In: M.E. SOULE ed. *Viable Populations for Conservation*, 11-34. Cambridge University Press.
- GRINNELL, J. 1904. The origin and distribution of the chestnut-backed chickadee. *Auk*, **21**, 364-382.
- GROVE, N. & SCHERMEISTER, P. 1990. Greenways. Paths to the future. *National Geographic*, June, 76-99.
- HAILA, Y. 1983. Land birds on northern islands: a sampling metaphor for insular colonization. *Oikos*, **41**, 334-51.
- HAILA, Y. 1986. North European land birds in forest fragments: evidence for area effects? In: J. VERNER, MORRISON M.L. & RALPH, C.J. eds. *Modeling habitat relationships of terrestrial vertebrates*, 315-319. London, University of Wisconsin Press.
- HAILA, Y., HANSKI, I., JARVINEN, O., & RANTA, E. 1982. Insular biogeography: a northern European perspective. *Acta Oecologica*, **3**, 303-318.
- HAILA, Y., & JARVANEN, O. 1981. The underexploited potential of quantitative bird censuses in insular ecology. *Studies in Avian Biology*, **6**, 559-65.
- HAMILTON, T.H., RUBINOFF, I., BARTH, C.H., & BUSH, G.L. 1963. Species abundance: natural regulation of insular variation. *Science*, **142**, 1575-1577.
- HANSKI, I. 1982. On patterns of temporal and spatial variation in animal populations. *Ann. Zool. Fennici*, **19**, 21-37.
- HANSKI, I. 1989. Metapopulation dynamics: does it help to have more of the same? *Trends in Ecology and Evolution*, **4**, 113-114.
- HANSKI, I. 1991. Single-species metapopulation dynamics: concepts, models and observations. *Biological Journal of the Linnaean Society*, **42**, 17-38.
- HANSKI, I. & GILPIN, M. 1991. Metapopulation dynamics: brief history and conceptual domain. *Biological Journal of the Linnean Society*, **42**, 3-16.

- HANSSON, L. 1977. Landscape ecology and stability of populations. *Landscape Planning*, **4**, 85-93.
- HANSSON, L. & ANGLESTAM, P. 1991. Landscape ecology as a theoretical basis for nature conservation. *Landscape Ecology*, **5**, 191-201.
- HARRIS, L.D. & SCHECK, J. 1991. From implications to applications: the dispersal corridor principle applied to the conservation of biological diversity. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*. 189-220. Chipping Norton, NSW, Surrey Beatty.
- HARRISON, S. 1991. Local extinction in a metapopulation context: an empirical evaluation. *Biological Journal of the Linnaean Society*, **42**, 73-88.
- HARRISON, S., MURPHY, D.D. & EHRLICH, P.R. 1988. Distribution of the bay checkerspot butterfly, *Euphydryas editha bayensis*: evidence for a metapopulation model. *American Naturalist*, **132**, 360-382.
- HARRISON, S., ROSS, S.J. & LAWTON, J.H. 1992. Beta diversity on geographic gradients in Britain. *Journal of Animal Ecology*, **61**, 151-158.
- HART, D.D. & HORWITZ, R.J. 1991. Habitat diversity and the species-area relationship: alternative models and tests. In: S.S. BELL, MCCOY, E.D. & MUUSHINSKY, H.R. eds. *Habitat Structure. The Physical Arrangement of Objects in Space*, 47-68. London, Chapman & Hall.
- HASTINGS, A. 1990. Spatial heterogeneity and ecological models. *Ecology*, **71**, 426-428.
- HAYNE, D.W. 1949. Calculation of size of home range. *Journal of Mammalogy*, **30**, 1-18.
- HELLIWELL, D.R. 1975. The distribution of woodland plant species in some Shropshire hedgerows. *Biological Conservation*, **7**, 61-72.
- HELLIWELL, D.R. 1976a. The extent and location of nature conservation areas. *Environmental Conservation*, **3**, 255-8.
- HELLIWELL, D.R. 1976b. The effects of size and isolation on the conservation value of wooded sites in Britain. *Journal of Biogeography*, **3**, 407-416.
- HENDERSON, M.T., MERRIAM, G. & WEGNER, J. 1985. Patchy environments and species survival: chipmunks in an agricultural mosaic. *Biological Conservation*, **3**, 1, 95-105.
- HIGGS, A.J. & USHER, M.B. 1980. Should nature reserves be large or small? *Nature, London*, **285**, 568-9.
- HILL, M.O., CAREY, P.D., EVERSHAM, B.C., ARNOLD, H.R., PRESTON, C.D., TELFER M.G., BROWN, N.J., VEITCH, N., WELCH, R.C., ELMES, G.W. & BUSE, H. 1994. *The role of corridors, stepping stones and islands for species conservation in a changing climate*. Peterborough, English Nature (EN Research Report 75).
- HINSLY, S.A., BELLAMY, P.E., NEWTON, I. & SPARKS, T.H. 1994. *Factors affecting the presence of individual breeding bird species in woodland fragments*. Unpublished report, Peterborough, English Nature.

- HOBBS, R.J. 1992. The role of corridors in conservation: solution or bandwagon? *Trends in Ecology and Evolution*, **7**, 389-392.
- HOBBS, R.J. & HOPKINS, A.J.M. 1991. The role of conservation corridors in a changing climate. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*, 281-90. Chipping Norton, NSW, Surrey Beatty.
- HODGSON, J.G. & GRIME, J.P. 1990. The role of dispersal mechanisms, regenerative strategies and seed banks in the vegetation dynamics of the British landscape. In: R.G.H. BUNCE & HOWARD, D.C. eds. *Species Dispersal in Agricultural Habitats*, 65-81. London, Belhaven.
- HOOPER, M.D. 1971. The size and surroundings of nature reserves. In: E. DUFFEY & WATT, A.S. eds. *The scientific management of animal and plant communities for conservation*. 555-561. Oxford, Blackwell.
- HOPKINS, P.J. & WEBB, N.R. 1984. The composition of the beetle and spider faunas on fragmented heathlands. *Journal of Applied Ecology*, **21**, 935-946.
- HOWARD, H.E. 1920. *Territory in bird life*. London, Murray.
- HOWE, R.W. 1984. Local dynamics of bird assemblages in Australia and North America. *Ecology*, **65**, 1585-1601.
- HUFFAKER, C.B. 1958. Experimental studies on predation: dispersion factors and predator-prey oscillations. *Hilgardia*, **27**, 343-383.
- HUTCHINSON, G.E. 1965. *The ecological theater and the evolutionary play*. Newhaven, Conn., Yale University Press.
- HYNES, H.B.N. 1960. *The biology of polluted waters*. Liverpool, Liverpool University Press.
- IUCN 1980. *World Conservation Strategy*. Gland, Switzerland, International Union for Conservation of Nature and Natural Resources.
- JAMES, F.C., JOHNSTON, R.F., WARMER, N.O., NEIMI, G.J. & BOECKLEN, W.J. 1984. The Grinnellian niche of the wood thrush. *American Naturalist*, **124**, 17-47.
- JANZEN, D.H. 1968. Host plants as islands in evolutionary and contemporary time. *American Naturalist*, **102**, 592-5.
- JEWELL, P.A. 1966. The concept of home range in mammals. *Symposia of the Zoological Society of London*, **18**, 85-109.
- JOHNSON, A.R., WEINS, J.A., MILNE, B.T. & CRIST, T.O. 1992. Animal movements and population dynamics in heterogeneous landscapes. *Landscape Ecology*, **7**, 63-75.
- JOHNSON, N.K. 1975. Controls of number of bird species on montane islands in the Great Basin. *Evolution*, **29**, 545-567.
- JOHNSON, R.J. & BECK, M.M. 1986. Influences of shelterbelts on wildlife management and biology. *Agricultural Ecosystems & Environment*, **22/23**, 301-305.

- JUVIK, J.O. & AUSTRING, A.P. 1979. The Hawaiian avifauna: biogeographic theory in evolutionary time. *Journal of Biogeography*, **6**, 205-224.
- KARR, J.R. 1982a. Avian extinction on Barro Colorado Island, Panama: a reassessment. *American Naturalist*, **119**, 220-239.
- KARR, J.R. 1982b). Population variability and extinction in the avifauna of a tropical land bridge island. *Ecology*, **63**, 1975-8.
- KELLY, B.J., WILSON, J.B. & MARK, A.F. 1989. Causes of the species-area relation: a study of islands in Lake Manapouri, New Zealand. *New Zealand Journal of Ecology*, **77**, 1021-28.
- KILBURN, P.D. 1966. Analysis of the species-area relation. *Ecology*, **47**, 831-843.
- KITCHENER, D.J. 1982. Predictors of vertebrate species richness in nature reserves in the western Australian wheatbelt. *Australian Wildlife Research*, **9**, 1-7.
- KITCHENER, D.J., CHAPMAN, A., DELL, J. & MUIR, B.G. 1980. Lizard assemblage and reserve size and structure in the western Australian wheatbelt - some implications for conservation. *Biological Conservation*, **17**, 25-62.
- CLUYVER, H.N. & TINBERGEN, L. 1953. Territory and the regulation of density in titmice. *Archives Néerlandaises de Zoologie*, **10**, 265-289.
- KOLATA, G.B. 1974. Theoretical ecology: beginnings of a predictive science. *Science*, **183**, 400-401 & 450.
- LAAN, R. & VERBOOM, B. 1990. Effects of pool size and isolation on amphibian communities. *Biological Conservation*, **54**, 251-262.
- LACK, D. 1933. Habitat selection in birds with special reference to the effects of afforestation on the Breckland avifauna. *Journal of Animal Ecology*, **2**, 239-262.
- LACK, D. 1973. The numbers and species of humming birds in the West Indies. *Evolution*, **27**, 326-337.
- LACK, D. 1976. *Island biology illustrated by the land birds of Jamaica*. Oxford, Blackwell.
- LANGTON, T.E.S. 1989. *Amphibia and roads*. Shefford, Beds, ACO Polymer Products.
- LEVINS, R. 1970. Extinction. In: M. GERSTENHABER ed. *Some Mathematical Problems in Biology*, 75-107. Providence, Rhode Island, American Mathematical Society.
- LEVINSON, J.B. 1981. Woodlots as biogeographic islands in southeastern Wisconsin. In: R.L. BURGESS & SHARPE, D.M. eds, *Forest island fragmentation in man dominated landscapes*, 13-39. New York, Springer-Verlag.

- LOVEJOY, T.E., BIERREGAARD, R.O., RYLANDS, A.B., MALCOLM, J.R., QUINTELA, C.E., HARPER, L.H., BROWN, K.S., POWELL, A.H., POWELL, G.V.N., SCHUBART, H.O.R. & HAYS, M.B. 1986. Edge and other effects of isolation of Amazon forest fragments. In: M.E. SOULE ed. *Conservation Biology and the Science of Scarcity and Diversity*. Sunderland, Mass, Sinauer.
- LOW, A.B. 1991. Management of urban corridors. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 412-413. Chipping Norton, NSW, Surrey Beatty.
- LYLE, J. & QUINN, R.D. 1991. Ecological corridors in urban southern California. *Wildlife conservation in metropolitan environments*. Columbia, Maryland, National Institute for Urban Wildlife.
- LYNCH, J.F. & JOHNSON, N.K. 1974. Turnover and equilibria in insular avifaunas, with special reference to the California Channel Islands. *The Condor*, **76**, 370-384.
- LYNCH, J.F. & SAUNDERS, D.A. 1991. Responses of bird species to habitat fragmentation in the wheatbelt of Western Australia: interiors, edges and corridors. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*, 143-158. Chipping Norton, NSW, Surrey Beatty.
- LYNCH, J.F. & WIGHAM, D.F. 1984. Effect of forest fragmentation on breeding bird communities in Maryland, USA. *Biological Conservation*, **28**, 287-324.
- MacARTHUR, R.A. 1972. *Geographical Ecology*. Harper & Row, New York.
- MacARTHUR, R.A. & WILSON, E. 1963. An equilibrium theory of insular zoogeography. *Evolution*, **17**, 373-387.
- MacARTHUR, R.A. & WILSON, E. 1967. *The theory of island biogeography*. Princeton, New Jersey, Princeton University Press.
- MacCLINTOCK, L., WHITCOMB, R.F. & WHITCOMB, B.L. 1977. Evidence for the value of corridors and minimization of isolation in preservation of biotic diversity. *American Birds*, **31**, 6-16.
- MacDONALD, D.W. & SMITH, H. 1990. Dispersal, dispersion and conservation in the agricultural ecosystem. In: R.G.H. BUNCE & HOWARD, D.C. eds. *Species Dispersal in Agricultural Habitats*, 18-64. London, Bellhaven.
- MADER, H.-J. 1984. Animal habitat isolation by roads and agricultural fields. *Biological Conservation*, **29**, 81-96.
- MADER, H.-J., SCHELL, C. & KORNACKER, P. 1990. Linear barriers to arthropod movements in the landscape. *Biological Conservation*, **54**, 209-222.
- MARGULES, C., HIGGS, A.J. & RAFE, R.W. 1982. Modern biogeographic theory: are there any lessons for nature reserve design? *Biological Conservation*, **24**, 115-28.

- MARGULES, C. & USHER, M.B. 1981. Criteria used in assessing wildlife conservation potential: a review. *Biological Conservation*, **21**, 79-109.
- MARTIN, T.S. 1981. Species-area slopes and coefficients: a caution on their interpretation. *American Naturalist*, **118**, 823-37.
- MARUYAMA, T., & KIMURA, M. 1980. Genetic variation and effective population size when local extinction and recolonization of subpopulations is frequent. *Proceedings of the National Academy of Sciences (USA)*, **77**, 6710-6714.
- MAUNDER, M. 1992. Plant reintroduction: an overview. *Biodiversity and Conservation*, **1**, 51-61.
- MAYR, E. 1940. The origin and history of the bird fauna of Polynesia. *Proceedings of the Sixth Pacific Science Congress*, **4**, 197-216.
- McCOY, E.D. 1982. The application of island-biogeographic theory to forest tracts: problems in the determination of turnover rates. *Biological Conservation*, **22**, 217-227.
- McDONNELL, M.J. 1984. Interactions between landscape elements: dispersal of bird disseminated plants in post-agricultural landscapes. In: J. BRANDT & AGGER, P. eds. *Landscape Ecological Research and Planning I*, 47-58. Denmark, Roskilde University Centre.
- McGUINNESS, K.A. 1984. Equations and explanations in the study of species-area curves. *Biological Reviews*, **59**, 423-40.
- MCLELLAN, C.H. 1979. *Island biogeography and its application to the design of bird reserves*. MSc thesis, University of London.
- MCLELLAN, C.H., DOBSON, A.P., WILCOVE, D.S. & LYNCH, J.F. 1986. Effects of forest fragmentation on New- and Old-world bird communities: empirical observations and theoretical implications. In: J. VERNER, MORRISON, M.L. & RALPH, C.J. eds. *Wildlife 2000: modeling habitat relationships of terrestrial vertebrates*, 305-313. London, University of Wisconsin Press.
- MCLELLAN, C.H., & SHACKLETON, D.M. 1988. Grizzly bears and resource extraction. *Journal of Applied Ecology*, **25**, 451-460.
- MERRIAM, G. 1984. Connectivity: a fundamental ecological characteristic of landscape pattern. In: J. BRANDT & AGGER, P. eds. *Landscape Ecological Research and Planning I*, 5-16. Denmark, Roskilde University Centre.
- MERRIAM, G. 1988. Landscape dynamics in farmland. *Trends in Ecology and Evolution*, **3**, 16-20.
- MERRIAM, G. 1991a. Corridors and connectivity: animal populations in heterogeneous environments. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 133-142. Chipping Norton, NSW, Surrey Beatty.
- MERRIAM, G. 1991b. Are corridors necessary for the movement of biota? In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 406-407. Chipping Norton, NSW, Surrey Beatty.

- MERRIAM, G., KOZAKIEWICZ, M., TSUCHIYA, E. & HAWLEY, K. 1989. Barriers as boundaries for metapopulations and demes of *Peromyscus leucopus* in farm landscapes. *Landscape Ecology*, **2**, 222-235.
- MERRIAM, G. & LANOUE, A. 1990. Corridor use by small mammals: field measurements for three experimental types of *Peromyscus leucopus*. *Landscape Ecology*, **4**, 123-131.
- MERRIAM, G. & WEGNER, J. 1992. Local extinctions, habitat fragmentation, and ecotones. In: A.J. HANSEN & DI CASTRI, F. eds, *Landscape boundaries. Consequences for biotic diversity and ecological flows*, 150-169. London, Springer-Verlag.
- MIDDLETON, J. & MERRIAM, G. 1981. Woodland mice in a farmland mosaic. *Journal of Applied Ecology*, **18**, 703-710.
- MIDDLETON, J. & MERRIAM, G. 1983. Distribution of woodland species in farmland woods. *Journal of Applied Ecology*, **20**, 625-644.
- MILLER, R.I. & HARRIS, L.D. 1977. Isolation and extirpations in wildlife reserves. *Biological Conservation*, **12**, 311-315.
- MOFFAT, C.B. 1903. The spring rivalry of birds. *Irish Naturalist*, **12**, 152-166.
- MOLLES, M.C. 1978. Fish species diversity on model and natural reef patches: experimental insular biogeography. *Ecological Monographs*, **48**, 289-305.
- MOORE, N.W. 1957. Territory in dragonflies and birds. *Bird Study*, **4**, 125-130.
- MOORE, N.W. 1962. The heaths of Dorset and their conservation. *Journal of Ecology*, **50**, 369-391.
- MOORE, N.W. 1991. Observe extinction or conserve diversity. In: N.M. COLLINS & THOMAS, J.A. eds. *The Conservation of Insects and their Habitats*, 15th Symposium of the Royal Entomological Society of London, 1-8.
- MOORE, N.W. & HOOPER, M.D. 1975. On the number of bird species in British woods. *Biological Conservation*, **8**, 239-250.
- MUNGUIRA, M.L. & THOMAS, J.A. 1992. Use of road verges by butterfly and burnet populations, and the effect of roads on adult dispersal and mortality. *Journal of Applied Ecology*, **29**, 316-329.
- MYERS, N. 1979. Islands of conservation. *New Scientist*, 600-602.
- NICHOLLS, A.O. & MARGULES, C.R. 1991. The design of studies to demonstrate the biological importance of corridors. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*, 49-61. Chipping Norton, NSW, Surrey Beatty.
- NILSSON, S.G., BENGTSSON, J. & AS, S. 1988. Habitat diversity or area *per se*? Species richness of woody plants, carabid beetles and land snails on islands. *Journal of Animal Ecology*, **57**, 685-704.

- NILSSON, S.G. & NILSSON, I.N. 1978. Breeding bird community densities and species richness in lakes. *Oikos*, **31**, 214-221.
- NIP-VAN DER VOORT, J., HENGEVELD, R. & HAECK, J. 1979. Immigration rates of plant species in three Dutch polders. *Journal of Biogeography*, **6**, 301-308.
- NOSS, R.F. 1983. A regional landscape approach to maintain diversity. *Bioscience*, **33**, 700-706.
- NOSS, R.F. 1987. Corridors in real landscape: a reply to Simberloff & Cox. *Conservation Biology*, **1**, 159-164.
- NOSS, R.F. & HARRIS, L. 1986. Nodes, networks and MUMs: preserving diversity at all scales. *Environmental Management*, **10**, 299-309.
- OATES, M.R. & WARREN, M.S. 1990. *A review of butterfly introductions in Britain and Ireland*. Godalming, Surrey, Worldwide Fund for Nature.
- O'DONNELL, C.J.F. 1991. Application of the wildlife corridors concept to temperate rainforest sites, North Westland, New Zealand. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 406-407. Chipping Norton, NSW, Surrey Beatty.
- OPDAM, P. 1987. De metapopulatie, model van een populatie in een versnipperd landschap. *Landschap*, **4**, 289-306.
- OPDAM, P. 1990. Dispersal in fragmented populations: the key to survival. In: R.G.H. BUNCE & HOWARD, D.C. eds. *Species Dispersal in Agricultural Habitats*, 3-17. London, Belhaven.
- OPDAM, P. 1991. Metapopulation theory and habitat fragmentation: a review of Holarctic breeding bird studies. *Landscape Ecology*, **5**, 93-106.
- OPDAM, P., RIJSKIJK, G. & HUSTINGS, R. 1985. Bird communities in small woods in an agricultural landscape: effects of area and isolation. *Biological Conservation*, **34**, 333-352.
- OSBOURNE, P. 1984. Bird numbers and habitat characteristics in farmland hedgerows. *Journal of Applied Ecology*, **21**, 63-82.
- OUELLET, H. 1967. Dispersal of land birds on the islands of the Gulf of St. Lawrence, Canada. *Canadian Journal of Zoology*, **45**, 1149-1167.
- OXLEY, D.J., FENTON, M.B. & CARMODY, G.R. 1974. The effects of roads on populations of small mammals. *Journal of Applied Ecology*, **11**, 51-59.
- PANETTA, F.D. 1991. Negative values of corridors. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 410. Chipping Norton, NSW, Surrey Beatty.
- PANETTA, F.D. & HOPKINS, A.J.M. 1991. Weeds, in corridors: invasion and management. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 341-351. Chipping Norton, NSW, Surrey Beatty.
- PETERKEN, G.F. 1974. A method for assessing woodland flora for conservation using indicator species. *Biological Conservation*, **6**, 239-245.

- PETERKEN, G.F. 1993. Landscape-scale issues in the conservation of ancient woodlands. In: R. HAINES-YOUNG ed. *Landscape ecology in Britain*. 55-65. Nottingham, Department of Geography, University of Nottingham.
- PETERKEN, G.F. & GAME, M. 1981. Historical factors affecting the distribution of *Mercurialis perennis* in central Lincolnshire. *Journal of Ecology*, **69**, 781-796.
- PETERKEN, G.F. & GAME, M. 1984. Historical factors affecting the number and distribution of vascular plant species in the woodlands of central Lincolnshire. *Journal of Ecology* **72**, 155-182.
- PETERS, R.L. & DARLING, J.D.S. 1985. The greenhouse effect and nature reserves. *Bioscience*, **35**, 707-717.
- PETERS, R.L. 1988. The effect of global climatic change on natural communities. In: E.O. WILSON & PETER, F.M. eds. *Biodiversity*, 450-461. Washington, D.C, National Academy Press.
- PICKETT, S.T.A. & THOMPSON, J.N. 1978. Patch dynamics and the design of nature reserves. *Biological Conservation*, **13**, 27-37.
- PIMM, S.L. 1986. Community stability and structure. In: M.E. Soule ed. *Conservation Biology and the Science of Scarcity and Diversity*, 309-329. Sunderland, Mass, Sinauer.
- PIMM, S.L., JONES, H.L. & DIAMOND, J. 1988. On the risk of extinction. *The Americal Naturalist*, **132**, 757-785.
- POLLARD, E., HOOPER, M.D., & MOORE, N.W. 1974. *Hedges*. London, Collins.
- POPPER, R.K. 1963. *Conjectures and refutations: the growth of scientific knowledge*. New York, Harper & Row.
- PRESTON, F.W. 1960. Time and space and the variation of species. *Ecology*, **41**, 612-627.
- PRESTON, F.W. 1962. The canonical distribution of commonness and rarity. *Ecology*, **43**, 185-215 & 410-432.
- PULLIAM, H.R. 1988. Sources, sinks, and population regulation. *American Naturalist*, **132**, 652-661.
- QUINN, J.F., & HASTINGS, A. 1987. Extinction in subdivided habitats. *Conservation Biology*, **1**, 198-208.
- RAFE, R.W., USHER, M.B. & JEFFERSON, R.G. 1985. Birds on reserves: the influence of area and habitat on species richness. *Journal of Applied Ecology*, **22**, 327-335.
- RALLS, K. & BALLOU, J. 1983. Extinction: lessons from zoos. In: C.M. SCHONEWALD-COX, CHAMBERS, S.M., MACBRIDE, B. & THOMAS, L. eds. *Genetics and Conservation*, 164-184. Menlo Park, CA, Benjamin.
- REH, W. & SEITZ, A. 1990. The influence of land use on the genetic structure of the common frog *Rana temporaria*. *Biological Conservation*, **54**, 239-249.

- REY, J.R. 1981. Ecological biogeography of arthropods on *Spartina* islands in northwest Florida. *Ecological Monographs*, **50**, 237-65.
- ROBBINS, C.S., DOWELL, B.A., DAWSON, D.K., COLON, J., ESPINOSA, F., RODRIGEZ, L., SUTTON, R. & VARGAS. 1987. Comparison of neotropical winter bird populations in isolated patches versus extensive forest. *Acta Oecologia. Oecologia Generalis*, **8**, 285-292.
- SAUNDERS, D.A. 1989. Changes in the avifauna of a region, district and remnant as a result of fragmentation of native vegetation: the wheatbelt of Western Australia. A case study. *Biological Conservation*, **50**, 99-135.
- SAUNDERS, D.A. 1990. Problems of survival in an extensively cultivated landscape: the case of Carnaby's cockatoo, *Calyptorhynchus funereus latirostris*. *Biological Conservation*, **54**, 277-290.
- SAUNDERS, D.A., ARNOLD, G.W., BURBRIDGE, A.A. & HOPKINS, A.J.M. 1987. Nature conservation: the role of remnants of native vegetation: future directions. In: D.A. SAUNDERS, ARNOLD, G.W., BURBRIDGE A.A. & HOPKINS A.J.M. eds. *Nature conservation: the role of remnants of native vegetation*, 387-392. Chipping Norton, NSW, Surrey Beatty.
- SAUNDERS, D.A., & de REBEIRA, C.P. 1991. Values of corridors to avian populations in a fragmented landscape In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*, 221-240. Chipping Norton, NSW, Surrey Beatty.
- SAUNDERS, D., & HOBBS, R. 1989. Corridors for conservation. *New Scientist*, 28 Jan 1989, 63-8.
- SAUNDERS, D.A., & HOBBS, R.J. (eds) 1991a. *Nature Conservation 2: the Role of Corridors*. Chipping Norton, NSW, Surrey Beatty.
- SAUNDERS, D.A., & HOBBS, R.J. 1991b. The role of corridors in conservation: what do we know and where do we go? In: D.A. SAUNDERS & R.J. HOBBS *Nature Conservation 2: the Role of Corridors*. 421-427. Surrey Beatty, Chipping Norton, NSW.
- SAUNDERS, D.A., HOBBS, R.J. & MARGULES, C.R. 1991. Biological consequences of ecosystem fragmentation: a review. *Conservation Biology*, **5**, 18-32.
- SAUNDERS, D.A. & INGRAM, J.A. 1987. Factors affecting survival of breeding populations of Carnaby's cockatoo *Calyptorhynchus funereus latirostris* in remnants of native vegetation. In: D.A. SAUNDERS, ARNOLD, G.W., BURBRIDGE, A.A. & HOPKINS A.J.M. eds, *Nature conservation: the role of remnants of native vegetation*. 249-258. Chipping Norton, NSW, Surrey Beatty.
- SCHOENER, T.W. 1976. The species-area relation within archipelagos: models and evidence from island land birds. *Proceedings 16th International Ornithological Congress*, 629-642.
- SCHOENER, T.W. & SCHOENER, A. 1983. The time to extinction of a colonizing propagule of lizards increases with island area. *Nature*, **302**, 332-4.
- SCHOENER, T.W. & SPILLER, D.A. 1987. High population persistence in a system with high turnover. *Nature*, **330**, 474-7.

- SHAFER, C.L. 1990. *Nature Reserves: Island Theory and Conservation Practice*. Smithsonian Institution Press, London.
- SHAFFER, M.L. 1981. Minimum population sizes for species conservation. *Bioscience*, **31**, 131-134.
- SHAFFER, M. 1987. Minimum viable populations: coping with uncertainty. In: M.E. SOULE, eds., *Viable populations for conservation*. 69-86. Cambridge University Press, Cambridge.
- SHAFFER, M.L. & SAMSON, F.B. 1985. Population size and extinction: a note on determining critical population size. *American Naturalist*, **125**, 144-152.
- SHELDON, A.L. 1988. Conservation of stream fishes: patterns of diversity, rarity, and risk. *Conservation Biology*, **2**, 149-156.
- SIMBERLOFF, D. 1974. Equilibrium theory of island biogeography and ecology. *Annual Review of Ecology and Systematics*, **5**, 161-182.
- SIMBERLOFF, D. 1976. Species turnover and equilibrium island biogeography. *Science*, **194**, 572-578.
- SIMBERLOFF, D.S. 1978a. Using island biogeographic distributions to determine if colonisation is stochastic. *American Naturalist*, **112**, 173-726.
- SIMBERLOFF, D.S. 1978b. Colonisation of islands by insects: immigration, extinction and diversity. In: L.A. MOUND & WALOFF, N. eds. *Diversity of Insect Faunas*, 139-153. Symposium of the Royal Entomological Society of London, 9.
- SIMBERLOFF, D.S. 1986. Design of nature reserves. In: M.B. USHER ed. *Wildlife Conservation Evaluation*, 315-337. London, Chapman & Hall.
- SIMBERLOFF, D.S. & ABELE, L.G. 1976. Island biogeographic theory and conservation practice. *Science*, New York, **191**, 285-6.
- SIMBERLOFF, D.S. & ABELE, L.G. 1982. Refuge design and island biogeographic theory: effects of fragmentation. *American Naturalist*, **120**, 41-50.
- SIMBERLOFF, D.S. & ABELE, L.G. 1984. Conservation and obfuscation: subdivision of reserves. *Oikos*, **42**, 399-401.
- SIMBERLOFF, D.S. & COX, J. 1987. Consequences and costs of conservation corridors. *Conservation Biology*, **1**, 63-71.
- SIMBERLOFF, D.S. & GOTELLI, N. 1984. Effects of insularisation on plant species richness in the prairie-forest ecotone. *Biological Conservation*, **29**, 27-46.
- SIMPSON, G.G. 1964. Species density of north American recent mammals. *Systematic Zoology*, **13**, 53-73.
- SINSCH, U. 1989. Migratory behaviour of the common toad *Bufo bufo* and natterjack toad *Bufo calamita*. In: T.E.S. LANGTON ed. *Amphibians and toads*, 113-125. Shefford, Beds, ACO Polymer Products.

- SMITH, F.E. 1975. Ecosystems and evolution. *Bulletin of the Ecological Society of America*, **56**, 2.
- SMITH, K.W. 1987. Ecology of the great spotted woodpecker. *RSPB Conservation Review*, **1**, 74-77.
- SNEDECOR, G.W. & COCHRAN, W.C. 1956. *Statistical Methods* Iowa State University Press, Ames.
- SOULE, M.E., BOLGER, D.T., ALBERTS, A.C., WRIGHT, J., SORICE, M. & HILL, S. 1988. Reconstructed dynamics of rapid extinctions of chaparral-requiring birds in urban habitat islands. *Conservation Biology*, **2**, 75-92.
- SOULE, M.E., & GILPIN, M.E. 1991. The theory of wildlife corridor capability. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*. 3-8. Chipping Norton, NSW, Surrey Beatty.
- SOULE, M.E. & SIMBERLOFF, D. 1986. What do genetics and ecology tell us about the design of nature reserves? *Biological Conservation*, **35**, 19-40.
- SOULE, M.E., WILCOX, B.A., & HOLTBY, C. 1979. Benign neglect: a model of faunal collapse in the game reserves of East Africa. *Biological Conservation*, **15**, 259-72.
- SOUTHWOOD, T.R.E. 1977. Habitat, the template for ecological strategies? *Journal of Animal Ecology*, **46**, 337-365.
- SPELLERBERG, I.F. 1989. Biogeographical basis of conservation. In: I.F. SPELLERBERG, GOLDSMITH, F.B. & MORRIS, M.G. eds. *The Scientific management of temperate communities for conservation*, 293-322. London, Oxford.
- SPELLERBERG, I.F. & GAYWOOD, M. 1993. *Linear features: linear habitats & wildlife corridors*. Peterborough, English Nature (Research Report 60).
- START, A.N. 1991. How can edge effects be minimised? In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the Role of Corridors*, 417-418. Chipping Norton, NSW, Surrey Beatty.
- STEPHENS, D.W. & KREBS, J.R. 1986. *Foraging Theory*, Princeton, N.J., Princeton University Press.
- STRONG, D.R. & REY, J.R. 1982. Testing for MacArthur-Wilson equilibrium with the arthropods of the miniature spartina archipelago at Oyster Bay, Florida. *American Zoology*, **22**, 355-360.
- SUCKLING, G.C. 1984. Population ecology of the sugar glider, *Petaurus breviceps*, in a system of fragmented habitats. *Australian Wildlife Research*, **11**, 49-75.
- SULLIVAN, A.L. & SHAFFER, M.L. 1975. Biogeography of the megazoo. *Science*, **189**, 13-17.
- TAYLOR, A.D. 1990. Metapopulation dispersal, and predator-prey dynamics: an overview. *Ecology*, **71**, 429-436.
- TAYLOR, A.D. 1991. Studying metapopulation effects in predator-prey systems. *Biological Journal of the Linnean Society*, **42**, 305-323.

- TAYLOR, R.J. & REGAL, P.J. 1978. The peninsula effect of species diversity and the biogeography of Baja California. *American Naturalist*, **112**, 583-593.
- TEMPLETON, A.R. 1986. Coadaptation and outbreeding depression. In: M.E. Soulé ed. *Conservation Biology: the science of scarcity and diversity*, 105-116. Sunderland, MA, Sinauer.
- TERBORGH, J. 1974. Preservation of natural diversity: the problem of extinction prone species. *Bioscience*, **24**, 715-722.
- TERBORGH, J. 1975. Faunal equilibria and the design of wildlife preserves. In: F.B. GOLLEY & MEDINA, E. eds. *Tropical ecological systems. Trends in terrestrial and aquatic research*, 369-380. New York, Springer-Verlag.
- TERBORGH, J. 1976. Island biogeography and conservation: strategy and limitations. *Science, New York*, **193**, 1029-30.
- TERBORGH, J., FAABORG, J. & BROCKMANN, H.J. 1978. Island colonization by Lesser Antillean birds. *The Auk*, **95**, 59-72.
- TERBORGH, J. & WINTER, B. 1980. Some causes of extinction. In: S.S. BELL, MCCOY, E.D. & MUSHINSKY, H.R. eds, *Habitat structure, the physical arrangement of objects in space*, 119-133. London, Chapman & Hall.
- THOMAS, C.D. & HARRISON, S. 1992. Spatial dynamics of a patchily distributed butterfly species. *Journal of Applied Ecology*, **61**, 437-446.
- THOMAS, C.D. & JONES, T.M. 1993. Partial recovery of a skipper butterfly (*Hesperia comma*) from population refuges: lessons for conservation in a fragmented landscape. *Journal of Applied Ecology*, **62**: 472-481.
- THOMAS, C.D., THOMAS, J.A. & WARREN, M.S. 1992. Distribution of occupied and vacant butterfly habitats in fragmented landscapes. *Oecologia*, **92**, 563-567.
- THOMAS, J.A. 1991. Rare species conservation: case studies of European butterflies. In: I.F. SPELLERBERG, GOLDSMITH, F.B. & MORRIS, M.G. *The Scientific management of temperate communities for conservation*, 149-197. Oxford, Blackwell.
- TILGHMAN, N.G. 1987. Characteristics of urban woodlots affecting breeding bird density and abundance. *Landscape and Urban Planning*, **14**, 481-495.
- TURIN, H. & den BOER, P.J. 1988. Changes in the distribution of carabid beetles in the Netherlands since 1880. II Isolation of habitats and long-term trends in the occurrence of carabid species with different powers of dispersal (Coleoptera, Carabidae). *Biological Conservation*, **44**, 179-200.
- TURNER, M.G. 1989. Landscape ecology: the effect of pattern on process. *Annual Review of Ecology and Systematics*, **20**, 171-197.
- USHER, M.B. 1979. Changes in the species-area relations of higher plants on nature reserves. *Journal of Applied Ecology*, **16**, 213-215.

- USHER, M.B. 1991. Habitat structure and the design of nature reserves. In: S.S. BELL, MCCOY, E.D. & MUSHINSKY, H.R. eds. *Habitat Structure. The Physical Arrangement of Objects in Space*, 373-391. London, Chapman & Hall.
- van der ZANDE, A.N., ter KEURS, W.J. & van der WEIJDEN, W.J. 1980. The impact of roads on the densities of four bird species in an open field habitat - evidence of a long-distance effect. *Biological Conservation*, **30**, 299-321.
- van DORP, D. & OPDAM, P.F.M. 1987. Effects of patch size, isolation and regional abundance on forest bird communities. *Landscape Ecology*, **1**, 59-73.
- VERKAAR, H.J. 1990. Corridors as a tool for plant species conservation? In: R.G.H. BUNCE & HOWARD, D.C. eds, *Species dispersal in agricultural habitats*, 82-97. London, Belhaven.
- VERNER, J. 1986. Predicting effects of habitat patchiness and fragmentation - the researcher's viewpoint. In: J. VERNER, MORRISON, M.C. & RALPH, C.J. *Wildlife 2000. Modelling habitat relationships of terrestrial vertebrates*, 327-329. London, University of Wisconsin Press.
- VERNER, J., MORRISON, M.C. & RALPH, C.J. 1986. *Wildlife 2000. Modelling habitat relationships of terrestrial vertebrates*. London, University of Wisconsin Press
- WARREN, M.S. & KEY, R.S. 1991. Woodlands: past, present and potential for insects. In: N.M. COLLINS & THOMAS, J.A. eds. *The Conservation of Insects and their Habitats*, 155-211. 15th Symposium of the Royal Entomological Society of London,.
- WATSON, J. 1991. Essential criteria for designation of wildlife corridors. In: D.A. SAUNDERS & HOBBS, R.J. eds. *Nature Conservation 2: the role of corridors*, 403-404. Chipping Norton, NSW, Surrey Beatty.
- WEBB, N.R. 1989. Studies on the invertebrate fauna of fragmented heathland in Dorset, UK, and implications for conservation. *Biological Conservation*, **47**, 153-165.
- WEBB, N.R. 1993. Heathland fragmentation and the potential for expansion. In: R. HAINES-YOUNG ed. *Landscape ecology in Britain*, 49-54. Nottingham, University of Nottingham.
- WEBB, N.R., CLARKE, R.T. & NICHOLAS, J.T. 1984. Invertebrate diversity on fragmented *Calluna*-heathlands. *Journal of Applied Ecology*, **21**, 921-933.
- WEBB, N.R. & HOPKINS, P.J. 1984. Invertebrate diversity on fragmented *Calluna* heathland. *Journal of Applied Ecology*, **21**, 921-933.
- WEGNER, J.F. & MERRIAM, G. 1979. Movements by birds and small mammals between a wood and adjoining farmland habitats. *Journal of Applied Ecology*, **16**, 349-57.
- WESTERN, D. & SSEMAKULA, J. 1981. The future of the savannah ecosystems: ecological islands or faunal enclaves? *African Journal of Ecology*, **19**, 7-19.
- WHITCOMB, B.L., WHITCOMB, R.F. & BYSTRAK, D. 1977. Island biogeography and 'habitat islands' of Eastern forest, III Long-term turnover and effects of selective logging on the avifauna of forest fragments. *American Birds*, **31**, 17-23.

- WHITCOMB, R.F., ROBBINS, C.S., LYNCH, J.F., WHITCOMB, B.L., KLIMKIEWICZ, M.K. & BYSTRAK, D. 1981. Effects of forest fragmentation on avifauna in the eastern deciduous forest. In: R.L. BURGESS & SHARPE, D.M. eds, *Forest island fragmentation in man dominated landscapes*, 125-205. New York. Springer-Verlag.
- WILCOVE, D.S., McLELLAN, C.H. & DOBSON, A.P. 1986. Habitat fragmentation in the temperate zone. In: M.E. SOULE, ed., *Conservation biology. The science of scarcity and diversity* 237-256, Sinauer, Sunderland, Massachusetts.
- WILCOVE, D.S. & ROBINSON, S.K. 1990. The impact of forest fragmentation on bird communities in eastern North America. In: A. KEAST ed. *Biogeography and Ecology of Forest Bird Communities*, 319-331. The Hague. SPB Academic.
- WILCOX, B.A. 1980. Insular ecology and conservation. In: M.E. SOULE ed. *Conservation Biology. The Science of Scarcity and Diversity*, 95-117. Sunderland, Mass, Sinauer.
- WILCOX, B.A. & MURPHY, D.D. 1985. Conservation strategy: the effects of fragmentation on extinction. *American Naturalist*, **125**, 879-887.
- WILLIAMS, B., DRANSFIELD, R. & BRIGHTWELL, R. 1992. The control of tsetse flies in relation to fly movement and trapping efficiency. *Journal of Applied Ecology*, **29**, 163-179.
- WILLIAMS, C.B. 1964. *Patterns in the balance of nature and related problems in quantitative ecology*. Academic Press, New York.
- WILLIAMSON, M. 1975. The design of wildlife preserves. *Nature*, **256**, 519.
- WILLIAMSON, M. 1981. *Island populations*. Oxford University Press.
- WILLIAMSON, M. 1983. The land-bird community of Skolkholm: ordination and turnover. *Oikos*, **41**, 378-384.
- WILLIS, E.O. 1974. Populations and local extinctions of birds on Barro Colorado Island, Panama. *Ecological Monographs*, **44**, 153-169.
- WILLIS, E.O. 1984. Conservation, subdivision of reserves, and the anti-dismemberment hypothesis. *Oikos*, **42**, 396-398.
- WILSON, E.O. 1969. The species equilibrium. *Diversity and stability in ecological systems, Brookhaven Symposium in Biology*, **22**, 38-47.
- WILSON E.O. & WILLIS E.O. 1975. Applied biogeography. In: M.L. CODY & DIAMOND, J.M. eds. *Ecological structures of species communities*, 522-534. Cambridge, Mass, Harvard University Press.
- WITTIG, R. & SCHREIBER, K. 1983. A quick method for assessing the importance of open spaces in towns for urban nature conservation. *Biological Conservation*, **26**, 57-64.
- WOIWOD, I.P. & THOMAS, J.A. 1983. The ecology of butterflies and moths at the landscape scale. In: R. HAINES-YOUNG ed. *Landscape ecology in Britain*, 76-92. Nottingham, Department of Geography, University of Nottingham.

WRIGHT, S.J. & HUBBELL, S.P. 1983. Stochastic extinction and reserve size: a focal species approach. *Oikos*, **41**, 466-76.