AGRICULTURAL LAND CLASSIFICATION

West Dorset Local Plan
Eastern Area : Chickerell

SOIL PROFILE DESCRIPTION

ALCB017892

| 1 C C C C C C C C C C C C C C C C C C C | | 10YR53 2.5Y64 10YR53 2.5Y74 10YR32 2.5Y64 10YR42 2.5Y64 | 0-20 20-60+ 0-20 20-60+ 0-20 20-60+ 0-15 15-60+ | cdogm vmdogm; SPL; WC IV mdom vmdogm; SPL, WC IV mdom vmdogm; SPL; WC IV cdogm | Coastal Crest Significant Exposure Just below coastal crest, but still significantly exposed ditto Coastal crest |
|---|----|--|--|--|---|
| 2 C C C C C C C C C C C C C C C C C C C | | 10YR53 2.5Y74 10YR32 2.5Y64 10YR42 2.5Y64 | 0-20 20-60+ 0-20 20-60+ | mdom vmdogm; SPL, WC IV mdom vmdogm; SPL; WC IV | Just below coastal crest, but still significantly exposed ditto |
| 3 C C C C C C C C 7 ZC | | 2.5Y74 10YR32 2.5Y64 10YR42 2.5Y64 | 20–60+ 0–20 20–60+ | vmdogm; SPL, WC IV mdom vmdogm; SPL; WC IV cdogm | crest, but still significantly exposed ditto |
| 3 C C C C C C C C C C C C C C C C C C C | | 10YR32 2.5Y64 10YR42 2.5Y64 | 0-20 20-60+ 0-15 | mdom vmdogm; SPL; WC IV cdogm | significantly exposed ditto |
| 5 C C C C 7 ZC | | 2.5Y64 10YR42 2.5Y64 | 20-60+ | vmdogm; SPL; WC IV cdogm | |
| 5 C C C C 7 ZC | | 2.5Y64 10YR42 2.5Y64 | 20-60+ | vmdogm; SPL; WC IV cdogm | |
| 5 C C C C C 7 ZC | | 2.5Y64 | | | Coastal crest |
| 5 C C C C C 7 ZC | | | 15-60+ | The come CDI - LIC TV | |
| 6 C C C 7 ZC | | 2.5Y42 | 1 | vmpogm; SPL; WC IV | Significant exposure |
| 6 C C C 7 ZC | | | 0–18 | cdom | Slight depression but |
| C C 7 ZC | | 2.5Y64 | 18-60+ | vmdogm; SPL; WC IV | still clearly exposed |
| 7 ZC | | 10YR42 | 0–20 | not mottled | Coastal crest |
| 7 ZC | | 10YR53 | 20–30 | vmdogm; SPL | Significant exposure |
| | | 2.5Y62 | 30-60+ | vmdogm; SPL; WC IV | |
| C | | 10YR42 | 0–26 | cdogm | Just below coastal |
| | | 2.5Y64 | 26-60+ | vmdogm; SPL; WC IV | crest but still |
| | | | | | significantly |
| 8 C | | 2.5Y54 | 0–23 | cdom | ditto |
| C | | 2.5Y64 | 23–60+ | vmdogm; SPL; WC IV | Q1000 |
| 9 C | | 2.5Y54 | 0–30 | cdom | ditto |
| С | | 2.5Y64 | 30-60+ | vmdogm; SPL; WC IV | |
| 10 C | | 10YR42 | 0–20 | edom | ditto |
| C | | 10YR53 | 20–30 | cdom | |
| С | | 10YR53 | 30-60+ | vmpogm; SPL; WC IV | |
| 11 HC | CL | 10YR53 | 0–30 | cdogm | Lower point of |
| C | | 2.5Y64 | 30-60+ | vmdogm; SPL below 45 cm; WC III | survey area but still Badly exposed |

SOIL PROFILE DESCRIPTION

| NO | TEXTURE | COLOUR | DEPTH (CM) | SOIL PROFILE NOTES | TOPOGRAPHY NOTES |
|----|---------|--------|------------|------------------------------------|----------------------|
| 12 | С | 10YR53 | 0-20 | cdogm | Just below coastal |
| | С | 2.5Y64 | 20-60+ | vmpogm | significant exposure |
| 13 | . C | 2.5Y52 | 0–18 | cdogm | Exposure risk |
| | C | 2.5Y64 | 18–35 | vmdogm | |
| | | | I | (too stony to penetrate; others | |
| | | | | Imp at 25,22 cm) | |
| 14 | HZCL | 10YR53 | 0-20 | not mottled | Well back from coas |
| | C | 2.5Y64 | 20-60 | cdom | but still evidence |
| | HCL | 2.6Y64 | 60-80+ | cdom; becoming quite calcareous | of exposure on fiel |
| | | | | at depth; perhaos no SPL; WC II | boundaries |
| 15 | C | 2.5Y44 | 0-20 | not mottled | ditto |
| | C | 2.5Y64 | 20-40 | cdom; 2% calc vsst; raw SPL-like C | Adjacent to 14, but |
| | | | I | WC II | on ridge 2 feet abo |
| | | | | (2nd Imp at 35 cm) | |
| 16 | C | 2.5Y52 | 0–18 | cdgm | Well back from coas |
| | C | 5Y53 | 18-30 | cdgm; 2% calc vsst | but still evidence |
| | C | 5Y53 | 30-60+ | cdogm; 2% calc vsst; SPL; WC IV | of exposure on fiel |
| | | | | | boundaries |
| 17 | ZC | 2.5Y42 | 0-20 | not mottled | ditto |
| | C | 2.5Y64 | 20-30 | ditto | |
| | С | 2.5Y64 | 30–60 | cdogm; SPL; WC IV | |
| 18 | C | 2.5Y54 | 0-20 | cdom | ditto |
| | C | 2.5Y64 | 20-50 | vmdogm; 2% calc vsst | |
| | С | 5Y52 | 50-60+ | vmdogm; 2% calc vsst; SPL; WC III | |
| 19 | C | 5Y53 | 0-25 | edom | ditto |
| | С | 2.5Y64 | 25–60+ | vmdogm; 2% calc vsst; SPL; WC IV | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |