

Ingrisch S. (1978) Laboratory and field observations on the post-embryonic development of some middle European bush-crickets (Orthoptera: Tettigoniidae) with reference to the influence of temperature. *Zool. Anz. Jena.* 200 309-320

Ingrisch S. (1986) The pleurennial life-cycles of the European Tettigoniidae (Insecta: Orthoptera). 3. The effect of drought and the variable duration of initial diapause. *Oecologia (Berlin)* 70 624-630

Jackson H. C. (1978) Low May sunshine as a possible factor in the decline of the sand lizard (*Lacerta agilis* L.) in north-west England. *Biol. Conserv.* 13 1-12

Jackson W. B. (1957) Microclimatic patterns in army ant bivouacs. *Ecology* 38 276-285

Jaksic F. M. & Fuentes E. R. (1980) Why are native herbs in the Chilean matorral more abundant beneath bushes: microclimate or grazing? *J. Ecol.* 68 665-669

Janzen D. H. (1969) Seed-eaters versus seed size, number, toxicity and dispersal. *Evolution* 23 1-27

Janzen D. H. (1971) Seed predation by animals. *Ann. Rev. Ecol. Syst.* 2 465-485

Jefferson R. G. & Usher M. B. (1987) The seed bank in soils of disused chalk quarries in the Yorkshire Wolds: implications for conservation management. *Biol. Conserv.* 42 287-302

Jefferson R. G. & Usher M. B. (1989) Seed rain dynamics in disused chalk quarries in the Yorkshire Wolds, England, with special reference to nature conservation. *Biol. Conserv.* 47 123-136

Johnson C. G. (1954) Aphid migration in relation to weather. *Biol. Revs. Camb. Phil. Soc.* 29 87-118

Jones M. E. (1976) Chapter 13 Topographic climates: soils, slopes and vegetation. In, The climate of the British Isles, edited by T. J. Chandler & S. Gregory, Longman

Jones M. G. (1933) Grassland management and its influence on the sward. *J. Roy. Agric. Soc.* 94 21-41

Jones P. D., Wigley T. M. L. & Wright P. B. (1986) Global temperature variations between 1861 and 1984. *Nature* 322 430-434

Jones-Walters L. M. (1990) A new approach to the management of chalk grassland with particular reference to the integration of conservation measures for invertebrates. In, Calcareous grasslands - ecology and management, a BES/NCC symposium, edited S. H. Hillier, D. W. H. Walton & D. A. Wells, Bluntisham Books

Kammer A. E. (1970) Thoracic temperature, shivering and flight in the monarch butterfly *Danaus plexippus* L. *Z. Vergl. Physiol.* 68 334-344

Karieva P. (1983) Chapter 8 Influence of vegetation texture on herbivore populations: resource concentration and herbivore movement. In, Variable plants and herbivores in natural and managed systems, edited by D. F. Denno & M. S. McClure, Academic Press

- Karr J. R. (1971) Structure of avian communities in selected Panama and Illinois habitats. *Ecol. Monogr.* 41 207-232
- Karr J. R. & Roth R. R. (1971) Vegetation structure and avian diversity in several new world areas. *Amer. Nat.* 105 423-435
- Keizer P. J., van Tooren B. F. & During H. J. (1985) Effects of bryophytes on seedling emergence and establishment of short-lived forbs in chalk grassland. *J. Ecol.* 73 493-504
- Kenworthy J. B. (1963) Temperatures in heather burning. *Nature* 200 1226
- Kershaw K. A. (1973) Quantitative and dynamic plant ecology, 2nd edition, Edward Arnold
- Keuper A., Kalmring K., Schatral A., Latimer W. & Kaiser W. (1986) Behavioural adaptations of ground-living bush-crickets to the properties of sound propagation in low grassland. *Oecologia (Berlin)* 70 414-422
- Kevan P. G. (1975) Sun-tracking solar furnaces in high arctic flowers: significance for pollination and insects. *Science* 189 723-726
- Kevan P. G. & Shorthouse J. D. (1970) Behavioural thermoregulation by butterflies. *Arctic* 23 268-279
- Kemp W. P., Harvey S. J. & O'Neill K. M. (1990) Patterns of vegetation and grasshopper community composition. *Oecologia (Berlin)* 83 299-308
- Key Z. H. L. & Day M. F. (1954) A temperature-controlled physiological colour response in the grasshopper Kosciuscola tristis Sjost (Orthoptera: Acrididae). *Austr. J. Zool.* 2 309-339
- Keymer R. & Leach S. J. (1990) Calcareous grassland - a limited resource in Britain. In, Calcareous grasslands - ecology and management, a BES/NCC symposium, edited S. H. Hillier, D. W. H. Walton & D. A. Wells, Bluntisham Books
- King T. J. (1975) Inhibition of seed germination under leaf canopies in Arenaria serpyllifolia, Veronica arvensis and Cerastium holosteiodes. *New Phytol.* 75 87-90
- Kingsolver J. G. (1979) Thermal and hydric aspects of environmental heterogeneity in the pitcher plant mosquito. *Ecol. Monogr.* 49 357-376
- Knapp A. K. & Seastedt T. R. (1986) Detritus accumulation limits productivity of tallgrass prairie. *BioScience* 36 622-668
- Krafsur E. S. (1971a) Behaviour of thoracic spiracles of Aedes mosquitos in controlled relative humidities. *Ann. Ent. Soc. Am.* 64 93-97
- Krafsur E. S. (1971b) Influence of age and water balance on spiracular behaviour in Aedes mosquitos. *Ann. Ent. Soc. Am.* 64 97-102
- Lack A. J. (1976) Flower-basking by insects in Britain. *Watsonia* 11 143-144

La Marche V. C., Graybill D. A., Fritts H. C. & Rose M. R. (1984) Increasing atmospheric carbon dioxide: tree-ring evidence for growth enhancement in natural vegetation. *Science* 225 1019-1021

Lawton J. H. (1978) Host-plant influence on insect diversity: the effects of space and time. In, Diversity of insect faunas, Symp. Roy. Ent. Soc. Lond. 9 105-125

Lawton J. H. (1983) Plant architecture and the diversity of phytophagous insects. *Ann. Rev. Entomol.* 28 23-39

Lawton J. H. (1986) Surface availability and insect community structure: the effects of architecture and fractal dimension of plants. In, Insects and the plant surface, edited by B. Juniper & T. R. E. Southwood, Edward Arnold

Lawton J. H. & Schroder D. (1977) Effects of plant type, size of geographical range and taxonomic isolation on the number of insect species associated with British plants. *Nature* 265 137-140

Lee R. (1973) The 'greenhouse' effect. *J. Appl. Meteorol.* 12 556-557

Lensink B. M. (1963) Distributional ecology of some Acrididae (Orthoptera) in the dunes of Voorne, Netherlands. *Tijdsch. Entomol.* 106 357-443

Levin D. A. (1973) The role of trichomes in plant defence. *Q. Rev. Biol.* 48 3-15

Lewis T. (1966) Analysis of the components of wind affecting accumulation of flying insects near artificial windbreaks. *Ann. Appl. Biol.* 56 365-370

Lewis T. (1969) The distribution of flying insects near a low hedgerow. *J. Appl. Ecol.* 6 443-452

Lewis T. & Stephenson W. J. (1966) The permeability of artificial windbreaks and the distribution of insects on the leeward sheltered zone. *Ann. Appl. Biol.* 58 355-363

Liddle M. J. & Moore K. J. (1974) The microclimate of sand-dune tracks: the relative contribution of vegetation removal and soil compression. *J. Anim. Ecol.* 11 1057-1068

Lloyd P. S. (1968) The ecological significance of fire in limestone grassland communities of the Derbyshire Dales. *J. Ecol.* 56 811-826

Lotero J., Woodhouse W. W. & Petersen R. G. (1966) Local effect on fertility of urine voided by grazing cattle. *Agron J.* 58 262-265

Lotz L. A. P. & Olff H. (1988) Variation in biomass and architecture of plants due to small-scale environmental heterogeneity. In, Plant form and vegetation structure, edited by M. J. A. Werger, P. J. M. van der Aart, H. J. During & J. T. A. Verhoeven, 109-119, SPB Academic Publishing

Louda S. M. (1982) Distribution ecology: variation in plant recruitment over a gradient in relation to insect seed predation. *Ecol. Monogr.* 52 25-41

Lovell P. H. & Lovell P. J. (1985) Chapter 14 The importance of plant form as a determining factor in competition and habitat exploitation. In, Studies in plant demography: a festschrift for John L. Harper, edited by J. White, Academic Press

- Loveridge J. P. (1968a) The control of water loss in Locusta migratoria migratorioides R. & F. I. Cuticular water loss J. Exp. Biol. 49 1-13
- Loveridge J. P. (1968b) The control of water loss in Locusta migratoria migratorioides R. & F. II. Water loss through the spiracles. J. Exp. Biol. 49 15-29
- Lowrie D. C. (1948) The ecological succession of spiders of the Chicago area dunes. Ecology 29 334-351
- Luczak J. (1963) Differences in the structure of communities of web spiders in one type of environment (young pine forest). Ekol. Pol. A. 11 159-219
- Luczak J. (1966) The distribution of wandering spiders in different layers of the environment as a result of interspecific competition. Ekol. Pol. A. 14 233-244
- Ludwig J. W. & Harper J. L. (1958) The use of the environment on seed and seedling mortality. VIII. The influence of soil colour. J. Ecol. 46 381-389
- Luff M. L. (1965) The morphology and microclimate of Dactylis glomerata tussocks. J. Ecol. 53 771-787
- Luff M. L. (1966) The abundance and diversity of the beetle fauna of grass tussocks. J. Anim. Ecol. 35 189-208
- Lutheharms J. R. E. & Valentine H. R. (1991) Sea-level changes: consequences for the southern hemisphere. Climatic Change 18 317-337
- MacArthur R. H. & MacArthur J. W. (1961) On bird species diversity. Ecology 42 594-600
- Machin J. (1979) Compartmental osmotic pressures in the rectal complex of Tenebrio larvae: evidence for a single tubular pumping site. J. Exp. Biol. 82 123-137
- Machin J. (1980) Atmospheric water absorption in arthropods. Adv. Insect Physiol. 14 1-48
- Mackay D. A. & Jones R. E. (1989) Leaf shape and host-finding behaviour in two ovipositing monophagous butterfly species. Ecol. Entomol. 14 423-431
- MacKinney A. L. (1929) Effects of forest litter on soil temperature and soil freezing in autumn and winter. Ecology 10 312-321
- Maiorana V. C. (1981) Herbivory in sun and shade. Biol. J. Linn. Soc. 15 151-156
- Maranon T. & Bartolome J. W. (1989) Seed and seedling populations of two contrasted habitats: open grassland and oak (Quercus agrifolia) understorey in California. Acta oecol. oecol. plant. 10 147-158
- Marquiss H. & Newton I. (1990) Chapter 8 Birds. In, The greenhouse effect and terrestrial ecosystems of the UK, ITE research publication no. 4, edited by M. G. R. Cannell & M. D. Hooper, HMSO

- Marrs R. H. (1985) The effects of potential bracken and scrub control using herbicides on lowland Calluna and grass heath communities in East Anglia, UK. *Biol. Conserv.* 32 13-32
- Marrs R. H. (1986) The role of catastrophic death of Calluna in heathland dynamics. *Vegetatio* 66 109-115
- Marrs R. H. (1987a) Studies on the conservation of lowland Calluna heaths. I. Control of birch and bracken and its effect on heath vegetation. *J. Appl. Ecol.* 24 163-175
- Marrs R. H. (1987b) Studies on the conservation of lowland Calluna heaths. II. Regeneration of Calluna and its relation to bracken infestation. *J. Appl. Ecol.* 24 177-189
- Marrs R. H. (1990) Chapter 10 Plant communities. In, The greenhouse effect and terrestrial ecosystems of the UK, ITE research publication no. 4, edited by M. G. R. Cannell & M. D. Hooper, HMSO
- Marrs R. H., Hicks M. J. & Fuller R. M. (1986) Losses of lowland heath through succession at four sites in Breckland, East Anglia, England. *Biol. Conserv.* 36 19-38
- Marsh R. & Campling R. C. (1970) Fouling of herbage by dung. *Herb. Abstr.* 40 123-129
- Marshall J. A. & Haes E. C. M. (1988) Grasshoppers and allied insects of Great Britain and Ireland, Harley, Colchester.
- May M. L. (1976) Thermoregulation and adaptation to temperature in dragonflies (Odonata: Anisoptera). *Ecol. Monogr.* 46 1-32
- May M. L. (1979) Insect thermoregulation. *Ann. Rev. Entomol.* 24 313-349
- McConnaughay K. D. M. & Bazzaz F. A. (1987) The relationship between gap size and performance of several colonizing annuals. *Ecology* 68 411-416
- McCoy E. D. & Bell S. S. (1991) Chapter 1 Habitat structure: the evolution and diversification of a complex topic. In, Habitat structure: the physical arrangement of objects in space, edited by S. S. Bell, E. D. McCoy & H. R. Mushinsky, Chapman & Hall
- McGavin G. C. (1984) Ischnodenus sabuleti (Fln.) (Hem., Lygaenidae) overwintering of stems of Angelica sylvestris L. *Ent. Mon. Mag.* 120 141-142
- McLean I. F. G. (1990) The fauna of calcareous grasslands. In, Calcareous grasslands - ecology and management, a BES/NCC symposium, edited by S. H. Hillier, D. W. H. Walton and D. A. Wells, Bluntisham Books
- McNaughton S. J. (1976) Serengeti migratory wildebeest: facilitation of energy flow by grazing. *Science* 191 92-94
- McNaughton S. J. (1984) Grazing lawns: animals in herds, plant form and coevolution. *Amer. Nat.* 124 863-886
- Mellanby K. (1935) The evaporation of water from insects. *Biol. Rev.* 10 317-333
- Mellinger M. V. & McNaughton (1975) Structure and function of successional vascular plant communities in central New York. *Ecol. Monogr.* 45 161-182

- Melman P. J. M., Verkaar H. J. & Heemsbergen H. (1988) Species diversity of road verge vegetation and mowing regime in the Netherlands. In, Diversity and pattern in plant communities, edited by H. J. During, M. J. A. Werger & J. H. Willems, 165-170, SPB Academic Publishing
- Mercer J. H. (1978) West Antarctic ice sheet and CO<sub>2</sub> greenhouse effect: a threat of disaster. *Nature* 271 321-325
- Merrett P. (1969) The phenology of linyphiid spiders on heathland in Dorset. *J. Zool. Lond.* 157 289-307
- Merrett P. (1976) Changes in the ground-living spider fauna after heathland fires in Dorset. *Bull. Br. Arachnol. Soc.* 3 214-221
- Merton L. H. F., Bourn D. M. & Hnatiuk R. J. (1976) Giant tortoise and vegetation interactions on Aldabra atoll. *Inland. Biol. Conserv.* 2 293-304
- Michaels P. (1991) Global pollution's silver lining, *New Scientist* 23rd November pp40-43
- Miles J. (1973) Natural recolonisation of experimentally bared soil in Callunetum in north east Scotland. *J. Ecol.* 61 399-412
- Miles J. (1974) Effects of experimental interference with stand structure on establishment of seedlings in Callunetum. *J. Ecol.* 62 675-687
- Miller G. R. & Cummins R. P. (1987) Role of buried viable seeds in the recolonisation of disturbed ground by heather (Calluna vulgaris (L.) Hull.) in the Cairngorm mountains, Scotland, U.K. *Arct. Alp. Res.* 19 396-401
- Miller G. R. & Miles J. (1970) Regeneration of heather (Calluna vulgaris (L.) Hull) at different ages and seasons in north-east Scotland. *J. Appl. Ecol.* 7 51-59
- Miller P. L. (1961) Spiracle control in dragonflies. *Nature* 191 621-622
- Miller P. L. (1964) Factors affecting spiracular control in adult dragonflies: water balance. *J. Exp. Biol.* 41 331-343
- Milton C. E. W. (1970) The effect of manuring, grazing and liming on the yield, botanical and chemical composition of natural hill pastures. *J. Ecol.* 28 326-356
- Monteith J. L. (1981) Chapter 1 Coupling of plants to the atmosphere. In, Plants and their atmospheric environment, the 21st symposium of the BES, edited by J. Grace, E. D. Ford & P. G. Jarvis, 1-30, Blackwell Scientific Publications
- Mooney H. A. & Gulmon S. L. (1982) Constraints on leaf structure and function in reference to herbivory. *BioScience* 32 198-206
- Moore N. W. (1962) The heaths of Dorset and their conservation. *J. Ecol.* 50 369-391
- Moran V. C. & Southwood T. R. E. (1982) The guild composition of arthropod communities in trees. *J. Anim. Ecol.* 51 289-306

- Morris M. G. (1967) Differences between invertebrate faunas of grazed and ungrazed chalk grassland. I. Responses of some phytophagous insects to cessation of grazing. *J. Appl. Ecol.* 4 459-474
- Morris M. G. (1969) Differences between invertebrate faunas of grazed and ungrazed chalk grassland. III. The heteropterous fauna. *J. Appl. Ecol.* 6 475-487
- Morris M. G. (1971a) Differences between the invertebrate faunas of grazed and ungrazed chalk grassland. IV. Abundance and diversity of Homoptera-Auchenorrhyncha. *J. Ecol.* ? 37-52
- Morris M. G. (1971b) The management of grassland for the conservation of invertebrate animals. In, The scientific management of plant and animal communities for conservation, the 11th symposium of the BES, edited by E. Duffey & A. S. Watt, Blackwell Scientific Publications
- Morris M. G. (1973) The effects of seasonal grazing on the Heteroptera and Auchenorrhyncha (Hemiptera) of chalk grassland. *J. Appl. Ecol.* 10 761-780
- Morris M. G. (1975) Preliminary observations on the effects of burning on the Hemiptera (Heteroptera and Auchenorrhyncha) of limestone grassland. *Biol. Conserv.* 7 311-319
- Morris M. G. (1981a) Responses of grassland invertebrates to management by cutting. III. Adverse effects on Auchenorrhyncha. *J. Appl. Ecol.* 18 107-123
- Morris M. G. (1981b) Responses of grassland invertebrates to management by cutting. IV. Positive responses of Auchenorrhyncha. *J. Appl. Ecol.* 18 763-771
- Morris M. G. (1990) The effects of management on the invertebrate community of chalk grassland. In, Calcareous grassland - ecology and management, BES/NCC symposium, edited S. H. Hillier, D. W. H. Walton & D. A. Wells, Bluntisham Books
- Morris M. G. (1991) Chapter 13 The management of reserves and protected areas. In, The scientific management of temperate communities for conservation, 31st symposium of the BES, edited by I. F. Spellerberg, F. B. Goldsmith & M. G. Morris, Blackwell Scientific Publications
- Morris M. G. & Duffey E. (1974) Chapter 5 Zoological characteristics and interest of the grassland ecosystem. In, Grassland ecology and wildlife management, edited by E. Duffey, M. G. Morris, J. Sheail, L. K. Ward, D. A. Wells & T. C. E. Wells, Chapman & Hall
- Morris M. G. & Lakhani K. H. (1979) Responses of grassland invertebrates to management by cutting. I. Species diversity of Hemiptera. *J. Appl. Ecol.* 16 77-98
- Morris M. G. & Plant R. (1983) Responses of grassland invertebrates to management by cutting. IV. Changes following the cessation of management. *J. Appl. Ecol.* 20 157-177
- Morris M. G. & Rispin W. E. (1987) Abundance and diversity of the Coleopterous fauna of a calcareous grassland under different cutting regimes. *J. Appl. Ecol.* 24 451-465
- Morris M. G. & Rispin W. E. (1988) A beetle fauna of oolitic limestone grassland and the responses of species to conservation management by different cutting regimes. *Biol. Conserv.* 43 87-105

- Mulkern G. B. (1967) Food selection by grasshoppers. *Ann. Rev. Entomol.* 12 59-78
- Mulroy T. W. (1979) Spectral properties of heavily glaucous and non-glaucous leaves of a succulent rosette-plant. *Oecologia (Berlin)* 38 349-357
- Murdoch W. W., Evans F. C. & Peterson G. H. (1972) Diversity and pattern in plants and insects. *Ecology* 53 819-828
- Murray N. B., Cannell M. G. R. & Smith R. I. (1989) Date of budburst of fifteen tree species in Britain following climatic warming. *J. Appl. Ecol.* 26 693-700
- Mushinsky H. R. (1985) Fire and the Florida sand hill herpetofaunal community: with special attention to the responses of *Cnemidophorus sexlineatus*. *Herpetologica* 41 333-342
- Mushinsky H. R. & Gibson D. J. (1991) Chapter 12 The influence of fire periodicity on vegetation structure. In, *Habitat structure: the physical arrangement of objects in space*, edited by S. S. Bell, E. D. McCoy & H. R. Mushinsky, Chapman & Hall
- Nature Conservancy Council (1982) *Chalk grassland: its conservation and management*, NCC, Peterborough
- Nature Conservancy Council (1984) *Nature Conservation in Great Britain*, NCC, Peterborough
- Naylor R. E. L. (1985) Chapter 7 Establishment and pre-establishment mortality, in, *Studies in plant demography: a festschrift for John L. Harper*, edited by J. White, Academic Press
- Neftel A., Moor E., Oeschger H. & Stauffer B. (1985) Evidence from polar ice cores for the increase in atmospheric CO<sub>2</sub> in the past two centuries. *Nature* 315 45-47
- Newell S. J. & Tramer E. J. (1978) Reproductive strategies in herbaceous plant communities during succession. *Ecology* 59 228-234
- Nicholson S. A. & Monk C. D. (1974) Plant species diversity in old-field succession on the Georgia Piedmont. *Ecology* 55 1075-1085
- Nicolai V. (1986) The bark of trees: thermal properties, microclimate and fauna. *Oecologia (Berlin)* 69 148-160
- Niemela P., Tahvanainen J., Sorjonen J., Hokkanen T. & Neuvonen S. (1982) The influence of host-plant growth form and phenology on the life strategies of Finnish macrolepidopterous larvae. *Oikos* 39 164-170
- Odum E. P. (1969) The strategy of ecosystem development. *Science* 164 262-270
- Odberg F. O. & Francis-Smith K. (1976) A study of the eliminative and grazing behaviour - the use of the field by captive horses. *Equine Vet. J.* 8 147-149
- Odberg F. O. & Francis-Smith K. (1977) Studies on the formation of ungrazed eliminative areas in fields used by horses. *Appl. Anim. Ethol.* 3 27-34



- O'Farrell A. F. (1963) Temperature-controlled physiological colour change in some Australian damselflies. *Aust. J. Sci.* 25 437-438
- Oke T. R. (1987) Boundary layer climates, 2nd edition, Methuen
- Olszewski J. L. (1974) Wind velocity in a deciduous forest stand and an unwooded area. *Ekol. Pol. B* 22 223-235
- Oomes M. J. M. & Elberse W. Th. (1976) Germination of six grassland perennials in microsites with different water contents. *J. Ecol.* 64 743-755
- Oosterveld P. (1983) Eight years of monitoring rabbits and vegetation development on abandoned arable fields grazed by horses. *Acta. Zool. Fennica* 174 71-74
- Osbornova J., Kovarova M., Leps J. & Prach K. (1990) (Eds.) Succession in abandoned fields: studies in central Bohemia, Czechoslovakia, Geobotany 15, Kluwer Academic Publishers
- Packham J. R. & Harding D. T. L. (1982) Ecology of woodland processes, Edward Arnold
- Pain S. (1988) No escape from the global greenhouse. *New Scientist* 12th November pp38-43
- Parker V. T., Simpson R. L. & Leck M. A. (1989) Chapter 17 Pattern and process in the dynamics of seed banks. In, Ecology of soil seed banks, edited by M. A. Leck, V. T. Parker & R. L. Simpson, Academic Press
- Parkhurst D. F. & Loucks O. L. (1972) Optimal leaf size in relation to environment. *J. Ecol.* 60 505-536
- Parr T. W. & Way J. M. (1988) Management of roadside vegetation: the long-term effects of cutting. *J. Appl. Ecol.* 25 1073-1088
- Parrish J. A. D. & Bazzaz F. A. (1985) Ontogenetic niche shifts in old-field annuals. *Ecology* 66 1296-1302
- Parry D. A. (1951) Factors determining the temperature of terrestrial arthropods in sunlight. *J. Exp. Biol.* 28 445-462
- Parry M. (1992) The potential effects of climate change on agriculture and land use. *Adv. Ecol. Res.* 22 63-91
- Parsons D. J. & Moldenke A. R. (1975) Convergence in vegetation structure along analogous climatic gradients in California and Chile. *Ecology* 56 950-957
- Peacock J. M. (1976) Temperature and leaf growth in four grass species. *J. Appl. Ecol.* 13 225-232
- Pearce F. (1989) Methane: the hidden greenhouse gas. *New Scientist* 6th May pp37-41
- Pearce F. (1990) High and dry in the global greenhouse. *New Scientist* 10th November pp35-37

- Pearman G. I., Etheridge D., de Silva F. & Fraser P. J. (1986) Evidence of changing concentrations of atmospheric CO<sub>2</sub>, N<sub>2</sub>O and CH<sub>4</sub> from air bubbles in Antarctic ice. *Nature* 320 248-250
- Peart D. R. (1989) Species interactions in a successional grassland. I. Seed rain and seedling recruitment. *J. Ecol.* 77 236-251
- Pepper J. H. & Hastings E. (1952) The effects of solar radiation on grasshopper temperatures and activities. *Ecology* 33 96-103
- Perring F. H. & Walters S. M. (1976) Atlas of the British flora, Botanical Society of the British Flora
- Peters R. L. (1992) Chapter 2 Conservation of biological diversity in the face of climate change. In, Global warming and biological diversity, edited by R. L. Peters & T. E. Lovejoy, Yale University Press
- Peters R. L. & Darling J. D. S. (1985) The greenhouse effect and nature reserves. *BioScience* 35 707-717
- Piggott C. D. (1968) Biological Flora of the British Isles: Cirsium acaulon. *J. Ecol.* 56 597-612
- Piggott C. D. (1974) The response of plants to climate and climatic change. In, The flora of a changing Britain, edited by F. H. Perring, 32-34, Claxsey
- Piggott C. D. (1984) The flora and vegetation of Britain: ecology and conservation. *New Phytol.* 98 119-128
- Piggott C. D. & Huntley J. P. (1978) Factors controlling the distribution of Tilia cordata at the northern limits of its geographical range. I. Distribution in north-west England. *New Phytol.* 81 429-441
- Piggott C. D. & Huntley J. P. (1980) Factors controlling the distribution of Tilia cordata at the northern limits of its geographical range. II. History in north-west England. *New Phytol.* 84 145-164
- Piggott C. D. & Huntley J. P. (1981) Factors controlling the distribution of Tilia cordata at the northern limits of its geographical range. III. Nature and causes of seed sterility. *New Phytol.* 87 817-839
- Platt R. B., Love G. J. & Williams E. L. A. (1958) A positive correlation between relative humidity and the distribution and abundance of Aedes vexans. *Ecology* 39 167-169
- Pons T. L. (1986) Response of Plantago major seeds to the red/far-red ratio as influenced by other environmental factors. *Physiol. Plantarum.* 68 252-258
- Pons T. L. & van der Toorn J. (1988) Establishment of Plantago lanceolata and Plantago major among grass. I. Significance of light for germination. *Oecologia (Berlin)* 75 394-399
- Pope D. J. & Lloyd P. S. (1975) Chapter 16 Hemispherical photography, topography and plant distribution. In, Light as an ecological factor II, the 16th symposium of the BES, edited by G. C. Evans, R. Bainbridge & O. Rackham, Blackwell Scientific Publications

- Porter K. (1982) Basking behaviour in larvae of the butterfly *Euphydryas aurinia*. *Oikos* **38** 308-312
- Price P. W. (1976) General concepts on the evolutionary biology of parasites. *Evolution* **31** 405-420
- Putman R. J. (1986) Grazing in temperate ecosystems: large herbivores and the ecology of the New Forest, Croom Helm
- Putman R. J., Pratt R. M., Ekins J. R. & Edwards P. J. (1987) Food and feeding behaviour of cattle and ponies in the New Forest, Hampshire. *J. Appl. Ecol.* **24** 369-380
- Putman R. J., Fowler A. D. & Tout S. (1991) Patterns of use of ancient grassland by cattle and horses and effects on vegetational composition and structure. *Biol. Conserv.* **56** 329-347
- Quene E. & Bakker J. P. (1988) Effects of nature management practices on the bryophyte flora of grassland and heathland in Drenthe, The Netherlands. *Acta Bot. Neerl.* **37** 203-213
- Rabinowitz D. & Rapp J. K. (1981) Dispersal abilities of seven sparse and common grasses from a Missouri prairie. *Amer. J. Bot.* **68** 616-624
- Rackham O. (1986) The history of the countryside, J. M. Dent & Sons. Ltd.
- Rainey R. C. (1958) Biometeorology and the displacements of airborne insects. *Intern. J. Bioclimatol. Biometeorol.* **2** (111) B 1-7
- Randall M. G. M. (1982) The dynamics of an insect population throughout its altitudinal distribution: *Coleophora alticolella* (Lepidoptera) in northern England. *J. Anim. Ecol.* **51** 993-1016
- Raschke K. (1956) Uder die physikalischen Beziehungen zwischen Wärmeübergangzahl, Strahlungsautausch, Temperature und Transpiration eines Blattes. *Planta* **48** 200-238
- Raunkiaer C. (1934) The life forms of plants, Oxford University Press
- Rausher M. (1981) The effect of native vegetation on the susceptability of *Aristolochia reticulata* (Aristolochiaceae) to herbivore attack. *Ecology* **62** 1187-1195
- Rawes M. (1981) Further results of excluding sheep from high-level grasslands in the Northern Pennines. *J. Ecol.* **69** 651-669
- Rawlins J. E. (1980) Thermoregulation by the black swallowtail butterfly, *Papilio polyxenes* (Lepidoptera: Papilionidae). *Ecology* **61** 345-357
- Read M. (1985) The silver studded blue conservation report, unpublished MSc thesis, Imperial College, London University
- Recher H. F. (1969) Bird species diversity and habitat diversity in Australia and North America. *Amer. Nat.* **103** 75-80
- Rice E. L. (1974) Allelopathy, Academic Press

- Rice K. J. (1985) Responses of Erodium to varying microsites: the role of germination cueing. *Ecology* 66 1651-1657
- Rice K. J. (1989) Chapter 10 Impacts of seed banks on grassland community structure and population dynamics. In, Ecology of soil seed banks, edited by M. A. Leck, V. T. Parker & R. L. Simpson, Academic Press
- Rodwell J. (1990) Types of calcareous grassland. In, Calcareous grasslands - ecology and management, a BES/NCC symposium, edited S. H. Hillier, D. W. H. Walton & D. A. Wells, Bluntisham Books
- Roberts H. A. (1981) Seed banks in soils. *Adv. Appl. Biol.* 6 1-49
- Robinson J. V. (1981) The effect of architectural variation in habitat on a spider community: an experimental field study. *Ecology* 62 73-80
- Roebertsen H., Hell G. W. & Bobbink R. (1988) Digital picture processing: a new method to analyse vegetation structure. *Acta Bot. Neerl.* 37 187-192
- Root T. (1988) Environmental factors associated with avian distributional boundaries. *J. Biogeog.* 15 489-505
- Rorison I. H. (1990) Soils, mineral nutrition and climate In, Calcareous grasslands - ecology and management, a BES/NCC symposium, edited S. H. Hillier, D. W. H. Walton & D. A. Wells, Bluntisham Books
- Rorison I. H. & Sutton F. (1975) Chapter 15 Climate, topography and germination. In, Light as an ecological factor II, the 16th symposium of the BES, edited by G. C. Evans, R. Bainbridge & O. Rackham, Blackwell Scientific Publications
- Rosenberg N. J. (1966) Microclimate, air mixing and physiological regulation of transpiration as influenced by wind shelter in an irrigated bean field. *Agric Meteorol.* 3 187-196
- Rosenberg N. J., Blad B. L. & Verha S. B. (1983) Microclimate: the biological environment, 2nd edition, John Wiley & Sons.
- Ross M. A. & Harper J. L. (1972) Occupation of biological space during seedling establishment. *J. Ecol.* 60 77-88
- Rozenweig M. L. & Winakaur J. (1966) Population ecology of desert rodent communities: habitats and environmental complexity. *Ecology* 50 558-572
- Ruinen J. (1961) The phyllosphere. I. An ecologically neglected milieu. *Plant and Soil* 15 81-109
- Rusch G. (1988) Reproductive regeneration in grazed and ungrazed limestone in Oland. *Acta Phytogeogr. Suec.* 76 113-124
- Ryser P. (1993) Influence of neighbouring plants on seedling establishment in limestone grassland. *J. Veg. Sci.* 4 195-202
- Sala O. E., Oesterheld M., Leon R. J. C. & Soriano A. (1986) Grazing effects upon plant community structure in subhumid grasslands of Argentina. *Vegetatio* 67 27-32

Salisbury E. J. (1942) The reproductive capacity of plants, Bell & Sons.

Samways M. J. & Harz K. (1982) Biogeography of intraspecific morphological variation in the bush-crickets Decticus verrucivorus (L.) and D. alabrifrous (F.) (Orthoptera: Tettigoniidae). *J. Biogeog.* **9** 243-254

Schenkeveld A. J. M. & Verkaar D. (1983) The distribution in space and time of viable seeds of some short-lived forbs on two chalk grasslands in S. Limburg. *Acta Bot. Neerl.* **32** 244-245

Scorer R. S. (1954) The nature of convection as revealed by soaring birds and dragonflies. *Q. J. Roy. Meteorol. Soc.* **80** 68-76

Seymour R. S. (1974) Convective and evaporative cooling in sawfly larvae. *J. Ins. Physiol.* **20** 2447-2457

Shafi M. I. & Yarranton G. A. (1973) Vegetational heterogeneity during a secondary (postfire) succession. *Can J. Bot.* **51** 73-90

Sheldon J. C. (1974) The behaviour of seeds in soil. III. The influence of seed morphology and the behaviour of seedlings on the establishment of plants from surface lying seeds. *J. Ecol.* **62** 47-66

Shepherd R. F. (1958) Factors controlling the internal temperature of spruce budworm larvae, Choristoneura fumiferana (Clem.) *Can. J. Zool.* **36** 779-786

Shirt D. B. (1987) (Ed.) British Red Data Books 2. Insects, Nature Conservancy Council, Peterborough

Shine K. P. (1989) Chapter 7 The greenhouse effect. In, Ozone depletion: health and environmental consequences, edited by R. Russell Jones & T. Wigley, John Wiley & Sons.

Silvertown J. W. (1980) Leaf-induced seed dormancy in a grassland flora. *New Phytol.* **85** 109-118

Silvertown J. W. (1983) The distribution of plants in a limestone pavement: tests of species interaction and niche separation against null hypotheses. *J. Ecol.* **71** 819-828

Silvertown J. W. (1988) Chapter 11 The demographic and evolutionary consequences of seed dormancy. In, Plant population ecology, the 28th symposium of the BES, edited by A. J. Davy, M. J. Davy & A. R. Watkinson, Blackwell Scientific Publications

Silvertown J. W. & Dickie J. B. (1981) Seedling survivorship in natural populations of nine chalk grassland plants. *New Phytol.* **88** 555-558

Silvertown J. W. & Smith B. (1988) Gaps in the canopy: the missing dimension in vegetation dynamics. *Vegetatio* **77** 57-60

Sims P. L., Singh J. S. & Lauenroth W. K. (1978) The structure and function of ten western North American grasslands. I. Abiotic and vegetational characteristics. *J. Ecol.* **66** 251-285

- Smith C. J. (1980) Ecology of the English chalk, Academic Press
- Smith H. (1982) Light quality, photoperception and plant strategy. *Ann. Rev. Physiol.* 33 481-518
- Smith R. F. (1954) The importance of the microenvironment in insect ecology. *J. Econ. Entomol.* 47 205-210
- Southwood T. R. E. (1977) Habitat, the templet for ecological strategies ? *J. Anim. Ecol.* 46 337-365
- Southwood T. R. E., Brown V. K. & Reader P. M. (1979) The relationships of plant and insect diversities in succession. *Biol. J. Linn. Soc.* 12 327-348
- Sparkes C. H. & Buell M. F. (1955) Microclimatological features of an old field and an oak-hickory forest in New Jersey. *Ecology* 36 363-366
- Spellerberg I. F. & Phelps T. E. (1977) Biology, general ecology and behaviour of the snake, *Coronella austriaca* Laurenti. *Biol. J. Linn. Soc.* 9 133-164
- Spedding C. R. W. (1971) Grassland ecology, Clarendon Press
- Spenceley A. P. (1973) The effect of stratification of vegetation on the analysis of successional data. *J. Ecol.* 61 767-774
- Stanton M. L. (1984) Seed variation in wild radish: effect of seed size on components of seedling and adult fitness. *Ecology* 65 1105-1112
- Sterling A., Peco B., Casado M. A., Galiano E. F. & Pineda F. D. (1984) Influence of microtopography on floristic variation in the ecological succession in grassland. *Oikos* 42 334-342
- Sterling P. H., Gibson C. W. D. & Brown V. K. (1992) Leaf-miner assemblies: effects of plant succession and grazing management. *Ecol. Entomol.* 17 167-178
- Stewart A. J. A. & Thompson K. (1982) Reproductive strategies of six herbaceous perennial species in relation to a successional sequence. *Oecologia (Berlin)* 52 269-272
- Stoutjesdijk Ph. (1959) Heaths and inland dunes of the Veluwe. *Wentia* 2 1-96
- Stoutjesdijk Ph. (1972a) Spectral transmission curves of some types of leaf canopies with a note on seed germination. *Acta Bot. Neerl.* 21 185-191
- Stoutjesdijk Ph. (1972b) A note on the spectral transmission of light by tropical rainforest. *Acta Bot. Neerl.* 21 346-350
- Stoutjesdijk Ph. (1974) The open shade, an interesting microclimate. *Acta Bot. Neerl.* 23 125-130
- Stoutjesdijk Ph. & Barkman J. J. (1992) Microclimate, vegetation and fauna, Opulus Press
- Strangeways I. (1991) Gaps in the climate map. *New Scientist* 23rd November pp46-49

- Stratton G. E., Uetz G. W. & Dillery D. G. (1979) A comparison of the spiders of three coniferous tree species. *J. Arachnol.* 6 219-226
- Strong D. R. & Levin D. A. (1979) Species richness of plant parasites and growth form of their hosts. *Amer. Nat.* 114 1-22
- Strong D. R., Lawton J. H. & Southwood T. R. E. (1984) Insects on plants: community patterns and mechanisms, Blackwell Scientific Publications
- Sumpton K. J. & Flowerdew J. R. (1985) The ecological effects of the decline in rabbits (*Oryctolagus cuniculus* L.) due to myxomatosis. *Mammal. Rev.* 15 151-186
- Sutcliffe J. (1977) Plants and temperature, Studies in Biology no. 86, Edward Arnold
- Sydes C. & Grime J. P. (1981) Effects of tree litter on herbaceous vegetation in deciduous woodland. I. Field investigations. *J. Ecol.* 69 237-248
- Tahvanainen J. O. & Root R. B. (1972) The influence of vegetation diversity on the population ecology of a specialized herbivore *Phyllotreta cruciferae* (Coleoptera: Chrysomelidae). *Oecologia* (Berlin) 10 321-346
- Ter Heerdt G. N. J., Bakker J. P. & de Leeuw J. (1991) Seasonal and spatial variation in living and dead plant material in a grazed grassland as related to plant species diversity. *J. Appl. Ecol.* 28 120-127
- Thomas A. S. (1960a) The trampling animal. *J. Br. Grassld. Soc.* 15 89-93
- Thomas A. S. (1960b) Changes in the vegetation since the advent of myxomatosis. *J. Ecol.* 48 287-306
- Thomas A. S. (1963) Further changes in the vegetation since the advent of myxomatosis. *J. Ecol.* 51 151-183
- Thomas C. D. (1983) The ecology and status of *Plebejus argus* in north west Britain, unpublished M.Sc. thesis, UCNW, Bangor
- Thomas C. D. (1985a) Specializations and polyphagy of *Plebejus argus* (Lepidoptera: Lycaenidae) in north west Britain. *Ecol. Entomol.* 10 325-340
- Thomas C. D. (1985b) The status and conservation of the butterfly *Plebejus argus* L. (Lepidoptera: Lycaenidae) in north west Britain. *Biol. Conserv.* 33 29-51
- Thomas J. A. (1980) Why did the large blue become extinct in Britain? *Oryx* 15 243-247
- Thomas J. A. (1983a) The ecology and conservation of *Lysandra bellargus* (Lepidoptera: Lycaenidae) in Britain. *J. Appl. Ecol.* 20 59-83
- Thomas J. A. (1983b) The ecology and status of *Thymelicus acteon* (Lepidoptera: Hesperiiidae) in Britain. *Ecol. Entomol.* 8 427-435
- Thomas J. A. (1984) The conservation of butterflies in temperate countries: past efforts and lessons for the future. In, The biology of butterflies, edited by R. I. Vane-Wright & P. R. Ackery

Thomas J. A. (1990) The conservation of the Adonis blue and Lulworth skipper butterflies - two sides of the same coin. In, Calcareous grasslands - ecology and management, a BES/NCC symposium, edited S. H. Hillier, D. W. H. Walton & D. A. Wells, Bluntisham Books

Thomas J. A. (1991) Chapter 7 Rare species conservation: case studies of European butterflies. In, The scientific management of temperate communities for conservation, the 31st symposium of the BES, edited by I. F. Spellerberg, F. B. Goldsmith & M. G. Morris, Blackwell Scientific Publications

Thomas J. A., Thomas C. D., Simcox D. J. & Clarke R. T. (1986) Ecology and declining status of the silver-spotted skipper butterfly (Hesperia comma) in Britain. *J. Appl. Ecol.* **23** 365-380

Thomas J. A., Elmes G. W., Wardlaw J. C. & Woyciechowski M. (1989) Host specificity among Maculinea butterflies in Myrmica ant nests. *Oecologia* (Berlin) **79** 452-457

Thompson K., Grime J. P. & Mason G. (1977) Seed germination in response to diurnal fluctuations of temperature. *Nature* **267** 147-149

Thompson P. A. (1969) Germination of Lycopus europaeus L. in response to fluctuating temperatures and light. *J. Exp. Bot.* **20** 1-11

Thompson P. A. (1974a) Germination of celery (Apium graveolans L.) in response to fluctuating temperatures. *J. Exp. Bot.* **25** 156-163

Thompson P. A. (1974b) Effects of fluctuating temperatures on germination. *J. Exp. Bot.* **25** 164-175

Thorsteinson A. J. (1960) Host selection in phytophagous insects. *Ann. Rev. Entomol.* **5** 193-218

Tilman D. & El Haddi A. (1992) Drought and biodiversity in grasslands. *Oecologia* (Berlin) **89** 257-264

Tinhout A. & Werger M. J. A. (1988) Fine roots in a dry Calluna heathland. *Acta Bot. Neerl.* **37** 225-230

Titlyanova A., Rusch G. & van der Maarel E. (1988) Biomass structure of limestone grasslands on Oland in relation to grazing intensity. *Acta Phytogeogr. Suec.* **76** 125-134

Tramer E. J. (1975) The regulation of plant species diversity on an early successional old-field. *Ecology* **56** 905-914

Uetz G. W. (1975) Temporal and spatial variation in species diversity of wandering spiders (Araneae) in deciduous forest litter. *Environ. Entomol.* **4** 719-724

Uetz G. W. (1979) The influence of variation in litter habitats on spider communities. *Oecologia* (Berlin) **40** 29-42

Uetz G. W. (1991) Chapter 16 Habitat structure and spider foraging. In, Habitat structure: the physical arrangement of objects in space, edited by S. S. Bell, E. D. McCoy & H. R. Mushinsky, Chapman & Hall



- Unwin D. M. (1978) Simple techniques for microclimate measurement. *J. Biol. Education* 12 179-189
- Unwin D. M. (1980) Microclimate measurement for ecologists, Academic Press
- Unwin D. M. & Corbet S. A. (1991) Insects, plants and microclimate, Naturalist handbook no. 15, Richmond Publishing Co. Ltd.
- Usher M. B. & Parr T. W. (1977) Are there successional changes in arthropod decomposer communities? *J. Environ. Manage.* 5 151-160
- Vallio I. F. M., Kirszenzaft S. L. & Rocha R. F. (1972) Germination of achenes of Bidens pilosa L. I. Effect of light of different wavelengths. *New Phytol.* 71 677-682
- Van den Bos J. & Bakker J. P. (1990) The development of vegetation patterns by cattle grazing at low stocking density in the Netherlands. *Biol. Conserv.* 51 263-272
- Van der Maarel E. (1988) Species diversity in plant communities in relation to structure and dynamics. In, Diversity and Pattern in Plant Communities, edited by H. J. During, M. J. A. Werger & J. H. Willems, SPB Academic Publishing, 1-14, The Hague
- Van der Pijl L. (1982) Principles of dispersal in higher plants, 3rd edition, Springer-Verlag
- Van Tooren B. F. (1988) The fate of seeds after dispersal in chalk grasslands: the role of the bryophyte layer. *Oikos* 53 41-48
- Van Tooren B. F. (1990) Recruitment and establishment of short-lived flowering plants in Dutch chalk grassland. In, Calcareous grasslands - ecology and management, a BES/NCC symposium, edited S. H. Hillier, D. W. H. Walton & D. A. Wells, Bluntisham Books
- Van Tooren B. F., den Hertog J. & Verkaar J. (1987) The role of bryophytes in a chalk grassland ecosystem. *Symp. Biol. Hungarica* 35 665-675
- Ver Hoef J. M., Glenn-Lewin D. C. & Werger M. J. A. (1989) Relationship between horizontal and vertical structure of a chalk grassland. *Vegetatio* 83 147-155
- Verkaar H. J., Schenkeveld A. J. & van de Klashorst M. P. (1983) The ecology of short-lived forbs in chalk grasslands: dispersal of seeds. *New Phytol.* 95 335-344
- Vestal A. G. (1913) Local distribution of grasshoppers in relation to plant associations. *Biol. Bull.* 25 141-180
- Vugts H. F. & van Wingeren W. K. R. E. (1976) Meteorological aspects of the aeronautic behaviour of spiders. *Oikos* 27 433-444
- Wall R. & Begon M. (1987) Individual variation and the effects of population density in the grasshopper Chorthippus brunneus. *Oikos* 49 15-27
- Waller D. M. (1982) Factors influencing seed weight in Impatiens capensis (Balsaminaceae). *Amer. J. Bot.* 69 1470-1475
- Waloff N. (1942) The mechanisms of humidity reactions of terrestrial isopods. *J. Exp. Biol.* 18 115-135

- Waloff Z. (1963) Field studies on solitary and transiens locusts in the Red Sea area. *Anti-locust Bull.* 40 1-93
- Warburg M. R. (1964) The response of isopods towards temperature, humidity and light. *Anim. Behav.* 12 175-186
- Warburg M. R. (1968) Behavioural adaptations of terrestrial arthropods. *Am. Zool.* 8 545-559
- Ward L. K. (1974) Chapter 11 The management of scrub. In, Grassland ecology and wildlife management, edited by E. Duffey, M. G. Morris, J. Sheail, L. K. Ward, D. A. Wells & T. C. E. Wells, Chapman & Hall
- Warren M. S. (1987a) The ecology and conservation of the heath fritillary butterfly Mellicta athalia. I. Host selection and phenology. *J. Appl. Ecol.* 24 467-482
- Warren M. S. (1987b) The ecology and conservation of the heath fritillary butterfly Mellicta athalia. II. Adult population structure and mobility. *J. Appl. Ecol.* 24 483-498
- Warren M. S. (1987c) The ecology and conservation of the heath fritillary butterfly Mellicta athalia. III. Population dynamics and the effect of habitat management. *J. Appl. Ecol.* 24 499-513
- Warren M. S., Thomas C. D. & Thomas J. A. (1984) The status of the heath fritillary butterfly Mellicta athalia Rott. in Britain. *Biol. Conserv.* 29 287-305
- Warrick R. & Oerlemans J. (1990) Chapter 9 Sea level rise. In, Climate change: the IPCC assessment, edited by J. T. Houghton, G. J. Jenkins & J. J. Ephrams, Cambridge University Press
- Washburn J. O. & Washburn L. (1984) Active aerial dispersal of minute wingless arthropods: exploitation of boundary-layer velocity gradients. *Science* 223 1088-1089
- Wasserthal L. T. (1975) The role of butterfly wings in regulation of body temperature. *J. Insect Physiol.* 21 1921-1930
- Waterhouse F. L. (1950) Humidity and temperature in grass microclimates with reference to insolation. *Nature* 166 232-233
- Waterhouse F. L. (1955) Microclimatological profiles in grass cover in relation to biological problems. *Q. J. Roy. Met. Soc.* 81 63-71
- Watt A. D., Ward L. K. & Eversham B. C. (1990) Chapter 7 Invertebrates. In, The greenhouse effect and terrestrial ecosystems of the UK, ITE research publication no. 4, edited by M. G. R. Cannell & M. D. Hooper, HMSO
- Watt A. S. (1955) Bracken versus heather, a study in plant sociology. *J. Ecol.* 43 490-506
- Watt T. A. & Gibson C. W. D. (1988) The effects of sheep grazing on seedling establishment and survival in grassland. *Vegetatio* 78 91-98
- Watt W. B. (1968) Adaptive significance of pigment polymorphisms in Colias butterflies. I. Variation in melanin pigment in relation to thermoregulation. *Evolution* 22 437-458

- Weaver S. E. & Cavers P. B. (1979) The effects of emergence date and emergence order on seedling survival rates in Rumex crispus and R. obtusifolius. *Can. J. Bot.* 57 730-738
- Webb N. R. (1983) Habitat isolation and its effects on the distribution and abundance of invertebrates on the Dorset heathlands. In, Heathland management, Focus on Nature Conservation no. 2, edited by L. Farrell, Nature Conservancy Council.
- Webb N. R. (1986) Heathlands, Collins
- Webb N. R. (1989) Studies on the invertebrate fauna of fragmented heathland in Dorset, UK and the implications for conservation. *Biol. Conserv.* 47 153-165
- Webb N. R. & Haskins L. E. (1980) An ecological survey of heathland in the Poole Basin, Dorset, England in 1978. *Biol. Conserv.* 7 281-296
- Webb N. R. & Hopkins P. J. (1984) Invertebrate diversity on fragmented Calluna-heathland. *J. Appl. Ecol.* 21 921-933
- Webb N. R. & Tuck M. V. (1984) Decticus verrucivorus (L.) (Orthoptera: Tettigoniidae) in Dorset. *Entomol. Mon. Mag.* 120 140
- Webb N. R., Clarke R. T. & Nicholas J. T. (1984) Invertebrate diversity on fragmented Calluna-heathland: effects of surrounding vegetation. *J. Biogeog.* 11 41-46
- Weidemann S., Stiedi O. & Kalmring K. (1990) Distribution and population density of the bushcricket Decticus verrucivorus in a damp-meadow biotope. *Oecologia (Berlin)* 82 369-373
- Weis I. M. (1982) The effect of propagule size on germination and seedling growth in Mirabilis hirsuta. *Can. J. Bot.* 60 1868-1874
- Weiss S. B., Murphy D. D. & White R. R. (1988) Sun, slope and butterflies: topographic determinants of habitat quality for Euphydryas editha. *Ecology* 69 1486-1496
- Welch D. (1985) Studies in the grazing of heather moorland in North-East Scotland. *J. Appl. Ecol.* 22 461-472
- Wellington W. G. (1949) The effects of temperature and moisture upon the behaviour of the spruce budworm, Choristoneura fumiferana Clemens. (Lepidoptera: Tortricidae). *Sci. Agr.* 29 201-215
- Wellington W. G. (1950) Variation in the silk-spinning and locomotor activities of larvae and spruce bud-worm, Choristoneura fumiferana (Clem.) at different rates of evaporation. *Trans. Roy. Soc. Can.* 44 89-101
- Wells T. C. E. (1965) Chalk grassland nature reserves and their management problems. In, The 48th Annual Report of the Society for the Promotion of Nature Reserves
- Wells T. C. E. (1971) A comparison of the effects of sheep grazing and mechanical cutting on the structure and botanical composition of chalk grassland. In, The scientific management of plant and animal communities for conservation, the 11th symposium of the BES, edited by E. Duffey & A. S. Watt, Blackwell Scientific Publications

- Wells T. C. E. (1974a) Chapter 8 Management and grazing. In, Grassland ecology and wildlife management, edited by E. Duffey, M. G. Morris, J. Sheail, L. K. Ward, D. A. Wells & T. C. E. Wells, Chapman & Hall
- Wells T. C. E. (1974b) Chapter 9 Management and mowing. In, Grassland ecology and wildlife management, edited by E. Duffey, M. G. Morris, J. Sheail, L. K. Ward, D. A. Wells & T. C. E. Wells, Chapman & Hall
- Wells T. C. E. (1974c) Chapter 10 The use of fire, fertilisers and herbicides in management. In, Grassland ecology and wildlife management, edited by E. Duffey, M. G. Morris, J. Sheail, L. K. Ward, D. A. Wells & T. C. E. Wells, Chapman & Hall
- Wells T. C. E. (1980) Chapter 11 Management options for lowland grassland. In, Amenity grassland: an ecological perspective, edited by I. H. Rorison & R. Hunt, John Wiley & Sons. Ltd.
- Wells T. C. E. (1983) Chapter 13 The creation of species-rich grasslands. In, Conservation in perspective, edited by I. H. Warren & F. B. Goldsmith, John Wiley & Sons. Ltd.
- Werger M. J. A., Prentice I. C. & Helsen H. P. H. (1985) The effect of sod-cutting to different depths on Calluna heathland regeneration. *J. Environ. Manage.* **20** 181-188
- Werner P. A. (1975) The effect of plant litter on germination in teasel, Dipsacus sylvestris Huds. *Amer. Midl. Nat.* **94** 470-476
- Werner P. A. & Platt W. J. (1976) Ecological relationships of co-occurring golden rods (Solidago: Compositae). *Amer. Nat.* **110** 959-971
- Whatley J. M. & Whatley F. R. (1980) Light and plant life, Studies in Biology no. 124, Edward Arnold
- White J. (1968) Studies on the behaviour of plant populations in model systems, unpublished M.Sc. thesis, UCNW, Bangor
- Whitford W. G. (1992) Chapter 9 Effects of climate change on soil biotic communities and soil processes. In, Global warming and biological diversity, edited by R. L. Peters & T. E. Lovejoy, Yale University Press
- Whittaker E. (1961) Temperatures in heath fires. *J. Ecol.* **49** 709-715
- Whittaker E. & Gimingham C. H. (1962) The effects of fires on regeneration of Calluna vulgaris (L.) Hull. from seed. *J. Ecol.* **50** 815-822
- Wigley T. M. L. (1985) Impact of extreme events. *Nature* **316** 106-107
- Wigley T. M. L., Jones P. D. & Kelly P. M. (1980) Scenario for a warm, high CO<sub>2</sub> world. *Nature* **283** 17-21
- Willems J. H., Peet R. K. & Bik J. (1993) Changes in chalk-grassland structure and species richness resulting from selective nutrient additions. *J. Veg. Sci.* **4** 203-212
- Williams G. (1959a) The seasonal and diurnal activity of the fauna sampled by pitfall traps in different habitats. *J. Anim. Ecol.* **28** 1-13

- Williams G. (1959b) Seasonal and diurnal activity of Carabidae with particular reference to Nebria, Notiophilus and Feronia. *J. Anim. Ecol.* 28 309-330
- Williams G. (1962) Seasonal and diurnal activity of harvestmen (Phalangida) and spiders (Araneida) in contrasted habitats. *J. Anim. Ecol.* 31 23-42
- Williams L. H. (1954) The feeding habits and food preferences of Acrididae and the factors which determine them. *Trans. Roy. Ent. Soc. Lond.* 105 423-454
- Williams R. J. (1992) Gap dynamics in subalpine heathland and grassland vegetation in south-eastern Australia. *J. Ecol.* 80 343-352
- Williams W. E., Garbutt K., Bazzaz F. A. & Vitousek P. H. (1986) The response of plants to elevated CO<sub>2</sub>. IV. Two deciduous-forest tree communities. *Oecologia (Berlin)* 69 454-459
- Williamson P. & Gribbin J. (1991) How plankton change the climate. *New Scientist* 16th March pp 48-52
- Willmer P. G. (1980) The effects of a fluctuating environment on the water relations of larval Lepidoptera. *Ecol. Entomol.* 5 271-292
- Willmer P. G. (1982a) Microclimate and the environmental physiology of insects. *Adv. Insect Physiol.* 16 1-57
- Willmer P. G. (1982b) Hygrothermal determinants of insect activity patterns: the Diptera on lily leaves. *Ecol. Entomol.* 7 221-231
- Willmer P. G. (1983) Thermal constraints on activity patterns in nectar-feeding insects. *Ecol. Entomol.* 8 455-469
- Willmer P. G. (1986) Microclimatic effects on insects at the plant surface. In, Insects and the plant surface, edited by B. E. Juniper & T. R. E. Southwood, 65-80, Edward Arnold
- Willmer P. G. & Corbet S. A. (1981) Temporal and microclimatic partitioning of the floral resources of Justicia aurea amongst a concourse of pollen vectors and nectar robbers. *Oecologia (Berlin)* 51 67-78
- Willmer P. G. & Unwin D. M. (1981) Field analyses of insect heat budgets: reflectance, size and heating rates. *Oecologia* 50 250-255
- Willson M. F. (1974) Avian community organisation and habitat structure. *Ecology* 55 1017-1029
- Wilson C., Grace J., Allen S. & Slack F. (1987) Temperature and stature: a study of temperatures in montane vegetation. *Functional Ecol.* 1 405-413
- Winn A. A. (1985) Effects of seed size and microsite on seedling emergence of Prunella vulgaris in four habitats. *J. Ecol.* 73 831-840
- Woodward F. I. (1987) Climate and plant distribution, Cambridge University Press

Woodward F. I. & Bazzaz F. A. (1988) The responses of stomatal density to CO<sub>2</sub> partial pressure. *J. Exp. Bot.* 39 1771-1781

Woodwell G. M., Hobbie J. E., Houghton R. A., Melillo J. M., Moore B., Peterson B. J. & Shauer G. R. (1983) Global deforestation: contribution to atmospheric carbon dioxide. *Science* 222 1081-1086

Yoshino M. M. (1975) Climate in a small area: an introduction to local meteorology, University of Tokyo Press

Young J. E. (1975) Chapter 9 Effects of the spectral composition of light sources on the growth of a higher plant. In, Light as an ecological factor II, the 16th symposium of the BES, edited by G. C. Evans, R. Bainbridge & O. Rackham, Blackwell Scientific Publications

Zavitskovski J. (1982) Characterization of light climate under canopies of intensively cultured hybrid poplar plantations. *Agric. Meteorol.* 25 245-255

Zimmerman J. K. & Weis I. M. (1984) Factors affecting survivorship, growth and fruit production of a beach population of Xanthium strumarium. *Can. J. Bot.* 62 2122-2127